



RC: 3529283

PAC MEDICAL

Comprehensive Catalogue

**CONSIST OF MEDICAL EQUIPMENT AND
ALLIED HEALTH PRODUCTS**



E-mail: Pacmedicalsenterprise@gmail.com



+2349068765176



:@pacmedsolutions



RC: 3529283

ENJOY THE BURSTING SERVICE FROM PACMEDICALS

PAC Medical Equipments Solutions distributes, sales and maintains/Repairs a wide range of (UK, England, Turkey, German... Brands) of medical equipment with a complimentary 18 to 24 months local warranty/return policy and lifetime after sales technical support.



CONTENT

PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:



Anesthesia.....1



Defibrillator..... 2



Patient Monitor.....2



Operating Light..... 4



Operating Table..... 5



Electric Obstetric Bed..... 6



Suction Machine..... 7



Infusion Pump..... 8



Gynecological Diagnosing Table.....11



Infant Warmer..... 12



Blood Pressure Monitor.....14



Oxygen Concentrator.....15



Hand Lifting Bed.....17



ICU Electric Bed.....18



Instrument Trolley.....19



Bedside Carbinet.....22



Patient Trolley.....23



Wall Screen.....26



Biological Miscroscope.....27



Spectrophotomete28

CONTENT

PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:



Centrifuge.....29



Shakers.....32



Incubators.....34



Biochemical Safety Cabinet.....35



Microtome.....37



Medical Freezer.....38



Ultrasound Machine.....39



ECG Machine.....40



Vein Finder.....43



Centrifuge..... 45



X-Ray Machine.....46



Blood Gas Analyzer.....48



Portable X-Ray Machine.....49



Pushbutton Crutches.....51



Tripod cane.....52



Folding Walker.....53



Wheel Chair.....58



Cervical Collar Soft.....61



Knee Cap.....62



Pelvic Traction Belt.....64

CONTENT

PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:



Dental Unit.....70



Steam Sterilizer.....70



Balance Physical.....73



Incubator.....79



Disposable Surgical Gown.....80



Dress & Top.....81



Lab Coat.....83



Maternity Gown.....84



Scrubs Suit.....85



Containers.....90



Collection Tube.....93



Pregnancy Test.....94



Malaria GP.....95



Urinalysis Reagent Strips97



Surgical Face Mask.....98



Medium splash protection.....99



Syringes.....100



Medical Nitrile Gloves.....102



Chest Drainage System.....103



Urine Bag.....104



PRODUCTS

PAGE NO:

PRODUCTS


PAGE NO:

Hospital Equipment 1-16

Anesthesia Machine
 Medical Ventilator
 Defibrator
 Electrosurgical Unit
 Patient Monitor
 Medical Pendant
 LED Operating Lamp with four bulbs (standing type)
 LED operating Lamp with five bulbs (ceiling type)
 Operating Table (Major)
 Operating Table (Minor)
 Delivery/Parturition Bed
 Electric Delivery Bed
 Blood Infusion Warmer
 Suction Machine with single bottle
 Suction machine with double bottle
 Syringe Pump
 Infusion Pump
 Feeding Pump
 Operating Microscope
 Surgical Tool
 Fetal Doppler (palm top)
 Fetal Doppler (Table top)
 Fetal Monitor
 Colposcopy
 Gynaecological Examination Bed
 Infant Incubator without drawer
 Infant Incubator with Drawer
 Infant Incubator with 2 Drawers and 1 Cabinet
 Infant Radiant Warmer
 Diathermy Machine
 Infant Photo-Therapy Unit with Four Bulbs
 Infant Phototherapy Unit with Five Bulbs
 Jaundice Meter
 Mammography X- ray System
 Infant Scales (Analogue)
 Infant Scales (Digital)

Hospital Equipment 1-16

Blood Pressure Monitor (Digital)
 Blood Pressure Monitor (Manual)
 Oxygen Concentrator (3L)
 Oxygen Concentrator (5L)
 Oxygen Cylinder
 Oxygen Cylinder Trolley
 Medical Oxygen Regulator
 Nebulizer
 Camry Scale
 Digital Weighing Scale with Rechargeable Battery
 Analogue Weighing Scale without Battery
 Sleep Therapy System
 Ultrasound Scanner
 Ophthalmic Ultrasound
 ECG Machine (3 Channels)
 ECG Machine (6 Channels)
 ECG Machine (12 Channels)
 Holter ECG and stress ECG
 Bone Densitometer
 Pulse Oximeter
 Infrared Thermometer
 Digital Thermometer
 Spirometer
 Audiometer
 Examination Lamp
 Vein Finder
 DR X-ray System
 C-arm X-ray System
 Mobile X-ray Machine
 Radiography X-ray System
 Mammography X-ray System
 Dental X-ray Machine
 Portable X-ray Machine
 X-ray Film Illuminator
 X-ray Film Processor
 X-ray Protective Products



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Hospital Equipment 17-26

1-Function Manual Hospital Bed
 2-Function Hospital Bed
 3-Function Hospital Bed
 Electric Hospital Bed
 ICU Bed
 Children's Hospital Bed
 Hospital Baby Crib
 Emergency/Medicine Trolley
 Doctor's Chair
 Doctor's stool
 Sleeping Chair
 Infusion Chair
 Drip stand
 Four Folding Wall Screen
 Bedside Cabinet (Iron)
 Bedside Cabinet (Steel)
 Patient trolley

 Emergency Stretcher
 Instrument trolley with two Drawers
 Instrument Trolley without Drawer
 Instrument Trolley with Three Steps
 Folding Stretcher
 Appliance Cupboard
 Examination Couch
 Bedsore prevention Mattress
 Overbed Table
 Ward Equipment
 Orthopedic Bed
 Mattress
 Patient Step

Laboratory Equipment 27-50

Biological Microscope
 Spectrophotometer
 High Speed Centrifuge
 Low Speed Centrifuge

Laboratory Equipment 27-50

High Speed Freeze Centrifuge
 Low Speed Freeze Centrifuge
 Special Centrifuge
 Laboratory Shaker
 Blood Roller Mixer
 Water Distiller 5L
 Water Distiller 10L
 Water Distiller 5L
 Magnetic and Electric Stirrer
 Laboratory Incubator
 Dry Oven
 PH Meter
 Biological Safety Cabinet
 Laminar Flow Cabinet

 Portable Autoclave (24L)
 Autoclave (steam Sterilizer), 35L
 Autoclave (steam Sterilizer), 50L
 Ultrasonic Cleaner
 Fixed Micropipette
 Variable Micropipette
 Rotatory Microtome
 Wash Hand Stand (Single Bow)
 Wash Hand Stand (Double bow)
 Medical Freezer
 Blood Bank Refrigerator
 Medical Pharmacy Refrigerator
 Electronic Analytical Balance
 Medical Destroyer
 Hand-Held ETCO2
 Blood Glucose Monitor
 Hematology Analyzer (3 Parts)
 Hematology Analyzer (5 Parts)
 Chemistry Analyzer (Semi auto)
 Chemistry Analyzer (Full Auto)
 Coagulation Analyzer



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Laboratory Equipment 27-50

Specific Protein Analyzer
 Microplate Reader
 Microplate Washer
 Blood Gas Analyzer
 Urine Analyzer
 Centrifuge (6 buckets)
 Centrifuge (8 buckets)
 Centrifuge (12 buckets)
 Finecare Machine II
 Finecare Machine Plus
 Electrolyte Analyzer
 Hematocrit Centrifuge (Iron Shell)
 Hematocrit Centrifuge (Plastic Shell)
 Anaerobic Culture Jar
 Colorimeter
 Electrophoresis Machine (Digital)
 Electrophoresis Machine (Analogue)
 Water Bath
 Vortex
 Flame Photometer

Walking Aid/Orthopedics 52-66

Pushbutton Crutches
 Wood Crutches
 America-style Forearm Crutches
 Forearm Crutches
 Standard Cane
 Foldable Cane
 T-shape Cane
 Fashion Cane
 Seat Cane
 Wood Cane
 Small Quad Cane
 Large Quad Cane
 Quad Cane
 Tripod Cane

Walking Aid/Orthopedics 52-66

ICE-O-Grip
 Folding Walker
 Reciprocating Folding Walker
 Rigid Walker
 Step-up Folding Walker
 Folding Walker with Seat
 2-Paddle Walker
 British Folding Walker
 Moving Walker
 Aluminum Rollator
 Aluminum Rollator
 Rollator
 Steel Rollator
 Rollator
 Bath Bench
 Shower Chair
 Shower Chair
 Bath Bench
 Bath Stool
 Foldable Bath Bench
 Transfer Bath Bench
 Bath Chair
 Bathtub Seat
 Bathtub Bar
 Grab Bar
 Commode Chair
 Commode Frame
 Raised Toilet Seat
 Bedpan
 Urine
 Commode Wheelchair
 Euro-style Commode Wheelchair
 Steel Wheelchair
 Extra-wide Wheelchair
 Steel Wheelchair
 Reclining Wheelchair



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Walking Aid/Orthopedics 52-66

Aluminum Wheelchair
 Lightweight Wheelchair
 Lightweight Wheelchair
 Transport Wheelchair
 Steel Wheelchair
 Abdominal Support 9
 Tummy Trimmer Abdominal
 LS Belt Lumbopore
 Lumbo Sacral Belt
 Contoured L.S. Support
 Rib Belt
 Chest Binder
 Lumbo Support Uni
 Pregnancy Back Support
 Lumbo Lacepull Brace
 Taylor's Brace Short / Long
 Ash Brace (Hyper Extension Brace)
 Hernia Belt
 Cervical Collar Soft
 Cervical Collar Soft with Support
 Collar Soft (Firm Density)
 Cervical Orthosis (Philadelphia) Ethafoam
 Cervical Collar Hard Adjustable
 Cervical Collar Hard With Chin
 Cervical Pillow Regular
 Pouch Arm Sling (Tropical)
 Pouch Arm Sling (Baggy)
 Universal Shoulder immobilizer
 Clavicle Brace with Buckle
 Elastic Shoulder Immobilizer
 USPs – Cast Shoe (Rocker Sole)
 Cast cover (Leg)
 Ankle Binder
 Anklet Comfeel (Pair)
 Anklet (Pair)
 Knee Cap (Pair)

Walking Aid/Orthopedics 52-66

Knee Cap (with Rigid Hinge)
 Knee Cap with Patellar Ring
 Elastic Wrist Splint Right/Left
 Wrist Splint Ambidextrous
 Wrist Splint with Thumb
 Wrist Brace with Double Lock
 Elbow Support
 Hand Resting Splint Right/Left
 ROM Elbow Brace
 Finger Cot
 Finger Ext. Splint
 Thumb Spica Splint
 Cervical Traction Kit (Sitting) with Weight Bag
 Skin Traction Set (PUF Liner)
 Cervical Traction Kit (Sitting) with Weight Bag
 Weight Cuff
 Hot & Cold Pack
 Restrainer
 Back Rest
 Ortho Stockinete 10 Mt
 Compression Stocking Mid Thigh
 Anti Embolism Stockings
 Tub. Elastic ban 1 mtr
 Knee Support Hinged (Neoprene)
 Ankle Support (Neoprene)
 Abs Wrap (Neoprene)
 Wrist Brace with Thumb (Neoprene)
 Insole Omni Silicone (Pair)
 Heel Cup Silicone (Pair)
 Bunion Splint
 Medial Arch Orthosis (Pair) Child
 Pouch Arm Sling (Oxypore)



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Walking Aid/Orthopedics 52-66

Aluminum Wheelchair
 Lightweight Wheelchair
 Lightweight Wheelchair
 Transport Wheelchair
 Steel Wheelchair
 Abdominal Support 9
 Tummy Trimmer Abdominal
 LS Belt Lumbopore
 Lumbo Sacral Belt
 Contoured L.S. Support
 Rib Belt
 Chest Binder
 Lumbo Support Uni
 Pregnancy Back Support
 Lumbo Lacepull Brace
 Taylor's Brace Short / Long
 Ash Brace (Hyper Extension Brace)
 Hernia Belt
 Cervical Collar Soft
 Cervical Collar Soft with Support
 Collar Soft (Firm Density)
 Cervical Orthosis (Philadelphia) Ethafoam
 Cervical Collar Hard Adjustable
 Cervical Collar Hard With Chin
 Cervical Pillow Regular
 Pouch Arm Sling (Tropical)
 Pouch Arm Sling (Baggy)
 Universal Shoulder immobilizer
 Clavicle Brace with Buckle
 Elastic Shoulder Immobilizer
 USPs – Cast Shoe (Rocker Sole)
 Cast cover (Leg)
 Ankle Binder
 Anklet Comfeel (Pair)
 Anklet (Pair)
 Knee Cap (Pair)

Walking Aid/Orthopedics 52-66

Knee Cap (with Rigid Hinge)
 Knee Cap with Patellar Ring
 Elastic Wrist Splint Right/Left
 Wrist Splint Ambidextrous
 Wrist Splint with Thumb
 Wrist Brace with Double Lock
 Elbow Support
 Hand Resting Splint Right/Left
 ROM Elbow Brace
 Finger Cot
 Finger Ext. Splint
 Thumb Spica Splint
 Cervical Traction Kit (Sitting) with Weight Bag
 Skin Traction Set (PUF Liner)
 Cervical Traction Kit (Sitting) with Weight Bag
 Weight Cuff
 Hot & Cold Pack
 Restrainer
 Back Rest
 Ortho Stockinete 10 Mt
 Compression Stocking Mid Thigh
 Anti Embolism Stockings
 Tub. Elastic ban 1 mtr
 Knee Support Hinged (Neoprene)
 Ankle Support (Neoprene)
 Abs Wrap (Neoprene)
 Wrist Brace with Thumb (Neoprene)
 Insole Omni Silicone (Pair)
 Heel Cup Silicone (Pair)
 Bunion Splint
 Medial Arch Orthosis (Pair) Child
 Pouch Arm Sling (Oxypore)



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Ophthalmic Equipment 67-69

Slit lamp
Ophthalmoscope & Retinoscope
Ophthalmic Table & Chair
Refractometer
Auto Lensmeter
Phorptor
Lens Edger
Auto chart Projector
Optometry Unit

Dental Equipment 70-72

Dental Unit
Dental Autoclave
Cassette Autoclave
Water Distiller
Dental X-ray Machine
Medical Sealing Machine
Dental Accessories

Scientific Items 73-79

Double Beam Balance
Heating Devices (Bursen Burner)
Magnetic Stirrer
Paper
Meter
Plastic Lab ware
Glass Labware
Porcelain / Silica Ware
Accessories
Gas Generator
Hardware
Models
Charts
Ammeter
Voltmeter
Galvanometer

Hospital Wears 80-85

Disposable Gowns
Dresses & Tops
Lab Coats
Aprons
Maternity Gowns
Scrub Suits

Laboratory Disposables 86-90

Petri dishes
Swab Sticks
Test Tubes
ESR Tubes
Containers
Weighing boats
Pipettes tips
Microtiter plates
Water sampling bottles
Autoclave Bags
Wire Loops
Transport Vials
Microscope slides
Cover slips
Parafilm
Cuvette
Wash bottle
Cryogenic vials

In-vitro Medical Diagnostic 91-94

Fertility Test
Infectious Disease
Drug of Abuse
Urinalysis Reagent
Fertility Test
Determine HIV 1/2
Hepatitis B and C strip
Pregnancy Test strips



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

In-vitro Medical Diagnostic 91 -94

Widal kit.
 Blood grouping anti Sera A, B and AB.
 Determine HIV 1/2
 VDRL Strips
 Malaria test Kit
 COVID 19 Test Kit
 Ovulation Test Kit
 Drug of Abuse Test kits
 Fine care Hormonal kits
 Urinalysis Strips
 Glucose measuring Strips.
 Culture Media
 H. pylori Anti Body anti body Test kit
 Fine care Hormonal kits
 Urinalysis Strips
 Determine HIV 1/2

Hospital Disposables 95-101

Face mask
 Surgical stapler
 Bondages
 Winged safety IV Catheters
 Butterfly IV Catheter
 Catheter
 Endotracheal Tube
 Vagina Flusher
 Nurse Cap
 Gloves
 Surgical Sutures
 Sterilization Pouch
 Chest Drainage System
 ESU Consumable
 Urine Bags
 Drug Envelope
 Blood Collection Bag
 Syringes and needles
 Cannular

Hospital Disposables 95 - 101

Foley Catheter
 Cotton wool
 Zinc Oxide Plaster
 Scalp vein
 Gloves...
 Surgical
 Examination Gloves
 Latex
 Non Latex
 Absorbent Gauze roll
 Gauze swabs
 Blood containers (Vacuum)
 EDTA
 Plain
 Lithium Heparin
 Flouride Oxalate
 Universal Containers With Spoon
 Universal Containers without Spoon.
 Face mask
 Absorbent Gauze bandage
 Nurse Cap
 Blood Giving Set
 Infusion Set
 Mucus Extractor
 Doctor's Cap
 Feeding Tubes
 Oxygen Mask
 Umbilical Cord Clamp
 Face Shield
 Oxygen Mask
 Nebulizer Mask
 Spinal Needles
 Surgical gown
 Surgical glove
 Latex Examination glove
 Abdominal mob



PRODUCTS

PAGE NO:

PRODUCTS

PAGE NO:

Hospital Disposables 95 - 101

Nasal spray for neonate, Child and Adult
 Scan paper
 Nylon 2 (round bodied)
 Spirit
 Savalon
 Nylon 1 (round bodied) - 3 packs
 Vicryl 3/0 straight needle
 Mepore plaster
 2mls syringe
 Elbow gloves
 Vicryl 3/0 straight needle
 Mepore plaster
 Central venous catheter – CVC Kit
 Chest drainage catheter sz 24
 Chest drainage catheter
 Double catheter – short term 12f x 15cm
 Double lumen catheter CURVED – 14.5F x 28cm
 Foleys catheter size 20 FR 3-way
 Foleys catheter size 22 (2-way)
 Foleys catheter 24FR 3 WAY
 Foleys catheter size 8
 catheter
 Lancet
 Laryngeal mask 3
 Laryngeal mask 4
 Laryngeal mask 5
 Cotton wool
 Cotton bud

Surgical Drips 102

Full strength
 Half strength
 Normal saline
 Dextrose saline
 10% Dextrose water
 5% dextrose water

E N T Equipments 103

Kilian Nasal speculum
 Thudicum nasal speculum
 St clair Thompson nasal speculum
 Tilley's nasal packing forceps
 Bayonet shaped nasal packing forceps
 Luc forceps
 Lrwinmoore forceps

E N T Equipments 104

Kilian Nasal speculum
 Thudicum nasal speculum
 St clair Thompson nasal speculum
 Tilley's nasal packing forceps
 Bayonet shaped nasal packing forceps
 Luc forceps
 Lrwinmoore forceps
 Freer mucoperichondrial elevator
 Aspirating dissector
 Tilley lichtwitz trocar and cannula
 Farabeuf periosteal elevator
 Killian curve nasal suction tip
 Blakesleyweil straight 45° upturned, 90° upturned forceps
 Blakesley through cut forceps
 Nasal endoscopic sickle knife
 Kerrisonrongeur
 Heuwieser antrum grasping forceps
 Osteotome and mallet
 Jansen bone nibbler
 Heymann-turbineotomy scissors
 Sinus ostium ball point probe
 Tilley's hankel forceps
 Antrum curved ring curette
 Rotating antrum punch backbiter
 Stammberger mushroom punch
 Kuhn-bolger frontal recess giraffic forceps
 Rigid esophagoscopes



Anesthesia Machine

Main Body
 High-strength engineering plastic rack, light, beautiful and corrosion resistant Scope of Application, Adult, child
 Gas Source
 O2: 0.27--0.55Mpa;
 N2O: 0.27--0.55MPa, Flow Meter
 O2: 0.1--1.0L/min; 1.1--10L/min
 N2O: 0.1--1.0L/min; 1.1--10L/min
 Air: 0.1--10L/min
 When using nitrous oxide, oxygen concentration>25%;

Portable Anesthesia Machine

Working mode: Manual
 2. Patient scope: from Pediatric to Adult (3kgs over)
 3. Tidal volume: 20-1500ml
 4. Working pressure: O2:0.3—0.4Mpa,
 5. Flowmeters: 2 tube 2 gas flowmeter;
 O2 range: 0.1-10L/min. N2O range: 0.1-10L/min.
 6. O2 and N2O linkage device (ORC system).
 7. APL valve adjustment range: 0.5-6.0Kpa
 8. O2 Flush: 30-60L/min

Anesthesia Machine

Main Body
 High-strength engineering plastic rack, light, beautiful and corrosion resistant
 Scope of Application
 Adult, child
 Gas Source
 O2: 0.27--0.55Mpa;
 N2O: 0.27--0.55MPa.
 Flow Meter O2: 0.1--1.0L/min; 1.1--10L/min
 N2O: 0.1--1.0L/min; 1.1--10L/min



Anesthesia Machine

Main Body
 High-strength engineering plastic rack, light, beautiful and corrosion resistant Scope of Application Adult, child
 Gas Source
 O2: 0.27--0.55Mpa;
 N2O: 0.27--0.55MPa.
 Flow Meter
 O2: 0.1--1.0L/min; 1.1--10L/min
 N2O: 0.1--1.0L/min; 1.1--10L/min

Ventilator

Tidal volume, ventilation volume, IPPV rate, SIMV rate, total respiratory rate, I/E, peak pressure of airway, average pressure, pressure - time waveform, flow rate - time waveform, PEEP, inspiratory trigger pressure, Inspiratory platform (autonomous inspiratory rate, lung compliance, airway resistance, flow -volume loop, pressure-volume loop).

Infant CPAP System

-Integration breathing circuit design, ensure easy operating and keep tidy.
 -Real time pressure-time graphics and high precision O2 concentration detection function included.
 -Built-in air and oxygen blender ensure stable oxygen concentration.



Defibrillator

-Defibrillator type Manual, Synchronized, Asynchronized
 -Out put waveform Monophasic technology
 -Energy accuracy <+1%
 -Energy selection 0,3,5,7,10,20,30,50,100,200,300,360 Joule (Nominal at a resistance of 50)
 -Charging time Maximum 8 seconds to 360 Joules
 -Paddles eusable external adult paddles (Pediatric paddles integrated)

Defibrillator

Screen Type: High-resolution display
 Screen Size: 7 inches (17.7 cm) diagonally
 Sweep Speed: 25mm/sec
 Information: Heart Rate, Lead/Pads, Alarm On/Off, SpO2, AED Functions and Prompts, Alarm Selection and Limits, Delivered Energy

Anesthesia Machine

Screen Type: High-resolution display
 Screen Size: 7 inches (17.7 cm) diagonally
 Sweep Speed: 25mm/sec
 Information: Heart Rate, Lead/Pads, Alarm On/Off, SpO2, AED Functions and Prompts, Alarm Selection and Limits, Delivered Energy



Infant Ventilator

AR-Y200 ventilator is a new-type of pneumatic-driven and electronic-controlled ventilator which is designed to meet the special needs of clinical respiratory management and respiratory therapy for infants and children with respiratory disorders.



Defibrillator Monitor (AED and Manual)

Screen Type: High-resolution display
 Screen Size: 7 inches (1 7.7 cm) diagonally
 Sweep Speed: 25mm/sec
 Information: Heart Rate, Lead/Pads, Alarm On/Off, SpO2, AED Functions and Prompts, Alarm Selection and Limits, Delivered Energy.



Portable Ventilator

Dimension: Width 300mm, Depth 160mm, Height 230mm, Weight 3Kg
 Carrying Packages Dimension: Width 460mm, Depth 200mm, Height 400mm, Weight 7Kg



Defibrillator

Screen Type: High-resolution display
 Screen Size: 7 inches (1 7.7 cm) diagonally
 Sweep Speed: 25mm/sec
 Information: Heart Rate, Lead/Pads, Alarm On/Off, SpO2, AED Functions and Prompts, Alarm Selection and Limits, Delivered Energy



Automated External Defibrillator

Tidal volume, ventilation volume, IPPV rate, SIMV rate, total respiratory rate, I/E, peak pressure of airway, average pressure, pressure - time waveform, flow rate - time waveform, PEEP, inspiratory trigger pressure, Inspiratory platform (autonomous inspiratory rate, lung compliance, airway resistance, flow -volume loop, pressure-volume loop).



Electrosurgical Unit

- Max 400W Electrosurgical Generator, with mono-polar and bipolar function.
- Nine working modes: pure cut, blend1, blend2, blend3, contact coag, forced coag, soft coag, bipolar coag, bipolar cut



Patient Monitor

1. 15.6-inch Six Standard parameters: ECG, RESP, NIBP, SPO2, 2_TEMP, PR/HR
2. Efficient resistance to interference of defibrillator and electro-surgical cautery;
- 3 SPO2 can testing for 0.1% Weak;
- 4 RA-LL impedance Respiration
- 5 Trend Coexist Display;



LEEP Electro-surgical Unit

- Microcomputer control
- ESU-L2000 (LEEP) generator adopts LEEP which specializing in gynecological intrauterine event, increasing the accuracy, controllability, security of the surgery.
- Different electrodes have different effects in coagulation.
- An optional smoke evacuation system is available.




Portable Ventilator

- Aluminum molding tray with non-slip texture.
- Mechanical friction damping brake.
- The gas pipeline, power supply and computer communication line are separately arranged without interference.
-) is adopted. The imported German standard gas terminal (over 20,000 of pulling out and inserting)



Patient Monitor

1. 15.6-inch Six Standard parameters: ECG, RESP, NIBP, SPO2, 2_TEMP, PR/HR
2. Efficient resistance to interference of defibrillator and electrosurgical cautery;
3. SPO2 can testing for 0.1% Weak;
4. RA-LL impedance Respiration
5. Trend Coexist Display.



Electro-surgical Unit

- Screen Type: High-resolution display
- Screen Size: 7 inches (17.7 cm) diagonally
- Sweep Speed: 25mm/sec
- Information: Heart Rate, Lead/Pads, Alarm On/Off, SpO2, AED Functions and Prompts, Alarm Selection and Limits, Delivered Energy.



Portable Ventilator

- Aluminum molding tray with non-slip texture.
- Mechanical friction damping brake.
- The gas pipeline, power supply & computer communication line are separately arranged without interference.
- is adopted. The imported German standard gas terminal (over 20,000 of pulling out and inserting



Aperture Series Operating Lamp

- The removable handle sheath can be disinfected at the high temperature of 135°C.
- The depolished panel made of imported material makes the light rays softer.
- The imported switch power supply is adopted to control the voltage, making the work voltage permanently stable.
- The special radiation filter reducing the heat to the minimum level.



Aperture Series Operating Lamp

- The removable handle sheath can be disinfected at the high temperature of 135°C.
- The depolished panel made of imported material makes the light rays softer.
- The imported switch power supply is adopted to control the voltage, making the work voltage permanently stable.
- The special radiation filter reducing the heat to the minimum level.



Aperture Series Operating Lamp

- The removable handle sheath can be disinfected at the high temperature of 135°C.
- The depolished panel made of imported material makes the light rays softer.
- The imported switch power supply is adopted to control the voltage, making the work voltage permanently stable.
- The special radiation filter reducing the heat to the minimum level.



Operating Lamp

- The removable handle sheath can be disinfected at the high temperature of 135°C.
- The depolished panel made of imported material makes the light rays softer.
- The imported switch power supply is adopted to control the voltage, making the work voltage permanently stable.
- The special radiation filter reducing the heat to the minimum level.



Operating Lamp

- AML01L Suitable for ENT, urology, gynecology examination and outpatient surgery half auxiliary lighting.



Operating Lamp

- AML04L For general outpatient surgical lighting, with brake can be easy moved. AML04L.I with battery is more suitable for cutting off power.



Operating Lamp

- AML1205L, AML12L, AML09L use of multiple different sources, by focusing knob, so the beam is irradiated from different locations surgery, reduce the shadow medical staff head, hands and other parts caused. The illumination can be adjusted according to actual needs.



Shadowless Operating Lamp

-The Whole reflection optical system is made by CAD/CAM technology, its illumination depth is up to 1300mm; by using color temperature compensation technology, the color reversion is upraised, and it is more suitable for the illumination of the complex surgery such as encephalon surgery and thorax surgery.



Shadowless Operating Lamp

-The panel is made of German PC (anti-bullet plastic) by injection moulding, makes the light softer and more reliable. Equipped with imported balance arm suspension system, which is light and handy, six group joints move together and moves smoothly, positions stably.



Shadowless Operating Lamp

-360 universal design can satisfy various needed height and angle in the operation.
-Almost unlimited LED life expectancy delivers tremendous product reliability and investment protection.



Shadowless Operating Lamp

-Uniform, homogeneous lighting in surface and deep cavity procedures thanks to 760 LED's innovative shadow control
-Our ergonomic, sterile operating concept allows for the simple and flexible control of all functions by the surgical team.



Shadowless Operating Lamp

-Uniform, homogeneous lighting in surface and deep cavity procedures thanks to 760 LED's innovative shadow control
-Our ergonomic, sterile operating concept allows for the simple and flexible control of all functions by the surgical team.



Shadowless Operating Lamp

-Uniform, homogeneous lighting in surface and deep cavity procedures thanks to 760 LED's innovative shadow control
-Our ergonomic, sterile operating concept allows for the simple and flexible control of all functions by the surgical team.



Shadowless Operating Lamp

-Uniform, homogeneous lighting in surface and deep cavity procedures thanks to 760 LED's innovative shadow control
-Our ergonomic, sterile operating concept allows for the simple and flexible control of all functions by the surgical team.



Shadowless Operating Lamp

-Uniform, homogeneous lighting in surface and deep cavity procedures thanks to 760 LED's innovative shadow control
-Our ergonomic, sterile operating concept allows for the simple and flexible control of all functions by the surgical team.



Electric Operating Table

- 1. Imported Germany hydraulic engine
- 2. Imported electromagnetic valve
- 3. Imported sealing ring
- 4. AC/DC
- 5. Auto restoration
- 6. Do X-ray & C-arm



Electric Operating Table

- 1. Imported hydraulic engine
- 2. Imported electromagnetic valve
- 3. Imported sealing ring
- 4. Ultra-low position for long time operation
- 5. Do X-ray
- 6. Leg board are separated & dischargeable
- 7. Waist can be lifted



Electric Operating Table

- 1. Imported Denmark Linak gear engine
- 2. By hand and panel control
- 3. Separate leg part
- 4. With battery



Universal Operating Table

- 1. Can be rotated 360°
- 2. Imported Y type sealing ring
- 3. Do X-ray & C-arm
- 4. Imported carbon plastic plate



Electric Hospital Bed

- 1. Imported Denmark Linak gear engine
- 2. Chair type position
- 3. Ultra-low position



Multi-functional Operating Bed

- 1. Base is metalized cold-plate
- 2. Imported Y type sealing ring
- 3. All actions are controlled on both sides



Multi-functional Operating Bed

- 1. Imported Y type sealing ring
- 2. Base is stainless steel
- 3. Leg board is separated & dischargeable
- 4. Double-decked can do X-ray



Examination Bed

- 1. Mainly used in the operation of leg
- 2. Combine with various types of supporting the use of the operating table



Orthopedics Tractor

- 1. 304 stainless steel
- 2. Imported brand motor
- 3. All the actions are adjusted by hand control



Head-resting System

- 1. Easy operation.
- 2. Could be used for ENT and Eye surgery.



Electric Medical Table

- 1. Imported Denmark Linak gear engine.
- 2. Up & down / forward & backward / backboard forward backboard are electric.
- 3. Base & Table-board are stainless steel.



Electric Obstetric Bed

- 1. Imported LINAK gear engine.
- 2. Various actions are controlled by remote controller..



Electric Obstetric Operating Table

- 1. Auxiliary table is dischargeable.
- 2. Foot step hydraulic elevating.
- 3. Base and upright column are made of high quality 304 stainless steel.



Multi-functional Obstetric Operating Table

- 1. Imported Y type sealing ring.
- 2. Table-board is stainless steel.
- 3. Foot step hydraulic elevating.



Obstetric Operating Bed

- 1. Stainless steel.
- 2. Various actions of main bed are adjusted by gear.
- 3. Various actions of auxiliary bed are adjusted by ratchet



Obstetric Bed

- Table is made of stainless steel.
- Various actions of auxiliary bed are adjusted by ratchet.



Gynecological Diagnosing Bed

- 1. Stainless steel.
- 2. Various actions of main bed are adjusted by gear.
- 3. Various actions of auxiliary bed are adjusted by ratchet.



Blood Infusion Warmer

- Power supply: AC 220V±10% 50Hz±1Hz; 110V±10% 60Hz±1Hz
- Power: ≤300W
- Temperature range:



Blood Infusion Warmer

- Power supply: AC 220V±10% 50Hz±1Hz; 110V±10% 60Hz±1Hz
- Power: ≤300W
- Temperature range:



Portable Electric Sputum Suction Device

1. Diaphragm pump
2. All ABS plastic shell
3. Bottle is easy for cleaning & disinfection
4. Oil-free pump is maintenance-free
5. Small size and low noise
6. With an overflow protection



Electric Sputum Suction Device

1. Imported diaphragm pump
2. All ABS plastic shell
3. Bottle is easy for cleaning & disinfection
4. Oil-free pump is maintenance-free
5. Small size and low noise
6. With an overflow protection



Portable Electric Suction Device

1. Imported diaphragm pump
2. Bottle is easy for cleaning & disinfection
3. Oil-free pump is maintenance-free
4. Small size and low noise
5. With an overflow protection



(AC/DC) Emergency Suction Device

1. AC and DC power supplies, can be connected to car-carried power supply.
2. AC and DC power switch automatically.
3. Store and supply power itself, with duration being more than 2 hours.
4. Imported membrane pump available with long service life.



Portable Electric Suction Device

1. Imported diaphragm pump
2. All ABS plastic shell
3. Bottle is easy for cleaning & disinfection
4. Oil-free pump is maintenance-free
5. Low noise
6. With an overflow protection



Mobile Electric Suction Device

1. Imported diaphragm pump
2. All ABS plastic shell
3. Bottle is easy for cleaning & disinfection
4. Oil-free pump is maintenance-free
5. Low noise
6. With an overflow protection



Mobile Electric Suction Device

1. Oil-less piston pump, maintenance free, flow rate can reach to over 80L/min, rapid vacuum rising.
2. Overflow protection device prevents liquid from entering into the inner pipe.
3. Air filter protects pump from being polluted.



Pedal Type Suction Unit

- Product characteristics: small size, light weight, easy to operate, no power is required.
- The pedal suction unit is safe and reliable.
- Compact structure makes it easy to operate and convenient to carry.
- Medical suction with high negative pressure and high flow rate.



Syringe Pump

- Open system: Accepts all standard syringes of 5ml, 10ml, 20ml/30ml, 50ml/60ml.
- Large COLOR LED display
- KVO/Bolus function.
- Vertical & Horizontal mounting.



Syringe Pump (Advanced)

- High accuracy +/- 2% after correct calibrated.
- Five work modes: Rate library Mode.
- Manual or Automatic Bolus function.
- Vertical & Horizontal mounting clamp.



Syringe Pump with Drug Library

- Titration
- Change flow rate without stopping infusion
- Last Therapy
- Last therapies can be stored and used for rapid infusion
- Drug Library
- No less than 2000 drugs



Syringe Pump (Dual Channel)

- Independent operating channels, and with Online function
- AB channels can be worked cyclically and repeatedly;
- 3.5-inch large color display, making clinical use faster and more convenient;



Infusion Pump

- Delivery range: 0.1ml/h~1200ml/h.
- High accuracy +/- 2% after correct calibrated.
- Five work modes: Rate Mode, Time Mode, Dose Mode, Sequential Mode and Drug library Mode.



Infusion Pump (Advanced)

- Delivery range: 0.1ml/h~1200ml/h.
- High accuracy +/- 2% after correct calibrated.
- Five work modes: Rate Mode, Time Mode, Dose Mode, Sequential Mode and Drug library Mode.



Infusion Pump (Dual Channels)

AIP-Y1200 model infusion pump is the second-generation product by our company. It has LCD display screen and micro computer controlled.



Feeding Pump

- Compact design: The compact and light weight design saves space and is beneficial during patient transfer



Operating Microscope

AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Operating Microscope

AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Operating Microscope

AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Operating Microscope

AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Operating Microscope

AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Multifunctional Drill And Saw

With a comprehensive range of quick change attachments assembled in one full functional handpiece, afford surgeon a convenient option.



Mini Canulate Drill

With a comprehensive range of quick change attachments assembled in one full functional handpiece, afford surgeon a convenient option.



Sternum Saw

Electric sternum saw is one of power tools widely used in thoracic surgery operation. Gradually replaced traditional industrial drill and saw, it can be autoclaved up to 135°C high temperature and 1.6Mpa high pressure.



Plaster Cutter

Reciprocation frequency: ≥ 12500 times/min
 Input Power: 125VA; 110V, 50Hz.
 Using the Mute material to optimize and design it.
 Alloy saw and long service life.
 Safety and reliability



Normal Bone Drill

Electric surgical drill&saw is one of power tools widely used in orthopedic operation. Gradually replaced traditional industrial drill and saw, It can be autoclaved up to 135°C, high temperature and 1.6Mpa high pressure.



Fetal Doppler

- Earphone and speaker are feasible
- High sensitivity doppler probe
- Low ultrasound dosage
- Display with color LCD
- Ultrasound frequency: 2MHz
- Ultrasound Intensity: <10mW/cm2



Operating Microscope

- High-sensitive WIRED probe
- Large TFT color display
- Low ultrasound power, safe to the fetus
- Rechargeable battery for long working time



Operating Microscope

- AOM Series Operating Microscopes using fiber-optic cable for coaxial illumination, have different working distance and magnification. They are featured for flexible handling and easy Operating.



Fetal/Maternal Monitor

- Interface and digital screen of FHR, TOCO, FM;
- Type: 7" Color TFT LCD, adjustable
- Resolution: 800*480
- Built-in thermal recorder, 110*100mm
- Print speed: 1, 2, 3 cm/min



Fetal/Maternal Monitor

- 12.1-inch TFT color screen Folding up to 90 degree
- The monitor of light weight and space-saving.
- It can meet the need of whole stages of labor




Colposcope

- Colposcopes are precise optical instruments designed especially for the gynecologic examination and diagnosis. Our colposcopes are featured for sharp image, wide field of view, uniform illumination, adjustable brightness



Colposcope

- Colposcopes are precise optical instruments designed especially for the gynecologic examination and diagnosis.



Colposcope (Complete Set)

- On the clinical, checkup with vulva, vagina, cervix and other parts.



Normal Bone Drill

- Abundant image database of cases (up to 175 kinds), convenient for doctor to make a comparative analysis. Advanced image processing technology, can achieve the functions of mark, area calculation, zoom in and out.



Gynecological Diagnosing Table

- Forward & backward is air spring control.
- Backboard up folded is air spring control.
- Up and down is hydraulic foot control.
- Imported Y type sealing ring.



Gynecological Diagnosing Table

- Imported Denmark Linak motor.
- Auto-restoring function.
- Leg support frame can fold up and down electrically.
- Standard accessories:
Leg holder (1 set)
Arc-shaped armrest (1set)



Gynecological Diagnosing Bed

- Stainless steel.
- Various actions of main bed are adjusted by gear.
- Various actions of auxiliary bed are adjusted by ratchet.



Infant Incubator

- 8.4" LCD display
- Temperature monitoring
- Temperature servo control
- Humidity Monitoring
- Humidity Servo Control



Infant Incubator

- Microprocessor based servo-controlled temperature system
- Control modes: Air mode and baby skin mode
- Humidity is adjustable continuously
- Set temperature, air temperature,



Infant Incubator

- Air mode and Baby mode controlled by micro-computer
- Use AC Power and DC Power alternatively
- Double wall hood with side door
- The infant bed can be pulled out easily



Infant Incubator

- Servo Control Mode: air mode
- Instant Parameter Displaying: set temp, air temp, heat power rate



Transport Infant Incubator

- Servo Control Mode: air mode
- Instant Parameter Displaying: set temp, air temp, heat power rate



Infant Warmer

- Microprocessor based servo-controlled temperature system
- Three modes of control: Pre-warm, manual and automatic
- Set temperature and central skin temperature



Infant Warmer

Three modes: pre-warm, manual and automatic
 Set temperature and skin temperature display separately
 Anti-explosion micro crystal quartz for radiation source
 Self - testing function, various failure alarms by audible and visual



Infant Warmer

Three modes: pre-warm, manual and automatic
 Set temperature and skin temperature display separately
 Anti-explosion micro crystal quartz for radiation source



Infant Warmer

Microprocessor based servo-controlled temperature system
 Two modes: Manual and automatic
 Set temperature and skin temperature display separately
 Anti-explosion micro crystal quartz for radiation source



Tube Infant Phototherapy Unit

Use LED blue tube as light source
 LED Digital Timer, display therapy time & total time
 Lifting & Mobile Stand
 Radiant head rotating by angle of 30°/ 60°/ 90°



Tube Infant Phototherapy Unit

LED lamp as phototherapy radiating elements
 Irradiance intensity is adjustable in 3 grades: low, middle, high
 LCD screen display therapy time and integral time separately
 Equal light distribution, high intensity



Double Infant Phototherapy Unit

Double side phototherapy for more effective radiation
 Upside phototherapy and downside phototherapy can be used separately
 Three levels to adjust the irradiation: Low, Medium, High
 LCD screen



Double Infant Phototherapy Unit

Double side phototherapy for more effective radiation
 Upside phototherapy and downside phototherapy can be used separately



Infant Phototherapy Unit

LED bulbs as phototherapy radiant source
 Button control switch
 Equal light distribution, High intensity
 Quiet, two cooling fan, Long life span



Transcutaneous Jaundice Detector

-Liquid Crystal Display is easily viewable
 -Streamlined design makes it small, delicate and easy to be handled.
 -Long service life, low energy consumption.
 -Battery indicator indicates when battery needs recharging.



Mammography System

Three modes: pre-warm, manual and automatic
 Set temperature and skin temperature display separately
 Anti-explosion micro crystal quartz for radiation source
 Self - testing function, various failure alarms by audible and visual

Mammography System

- Easy to use user interface design with finger touch operation panel, fast reachable buttons and foot switch.
- Streamlined compressor plate provides the intact breast images.

Electronic Baby Scale

- Max weighing: 20kg
- Division: 10g
- Display: 5 digital LCD
- Power: 4×1.5V
- Measurement: 58×32.5×18.5cm (Color Box) /1pc



Electronic Baby Scale

- Max weighing: 20kg/44lbs
- Min weighing: 200g/0.5oz
- Division: 10g/0.02lb
- Display: 5 digital LCD
- Power: 6F22ND 9V

Electronic Infant Scale

- Stainless Steel Tray
- Max weighing: 20kg
- Division: 10g
- Display: 5 digital LCD
- Power: 4×1.5V

Electronic Infant Table Scale

- Max weighing:20kg/44lb
- Division:10g/0.02lb
- Display:5 digital LCD
- Power supply:9V battery



Dial Baby Scale

- Max weighing: 20kg
- Division: 0.05kg (0-10kg); 0.1kg (10-20kg)
- G.W.: 5kg N.W.: 3.5kg
- Measurement: 59×33×20cm

Dial Baby Scale

- Max weighing: 20kg
- Division: 0.05kg (0-10kg); 0.1kg (10-20kg)
- Measurement: 57×32×18cm/1pc
- G.W.: 3.7kg N.W.: 3.1kg

Ruler Baby Scale

- Max weighing: 16kg
- Division: 10g
- Measurement: 53.5×28.5×9.5cm/1pc
- G.W.: 3kg N.W.: 2.5kg
- Measurement: 56×31×53cm/5pc



Ruler Baby Scale

- Capacity: 60kg / 150lb
- Accuracy: 50g / 2oz
- Size of tray: 61x37.5x6cm
- Overall size: 53x61x69cm
- Net weight: 14.5kg



Hanging Baby Bed

- Max. weighing: 25kg
- Min. value per division: 100g
- Size of packing box: 250x210x85mm; 43x26x43cm (10set)




Electronic Pediatric Scale

- Max weighing: 150kg
- Division: 50g
- Display: LCD
- Power: AC/DC



Baby Metrical Rod

- Height range to be measured: 0-1000mm
- Min value of height per division: 1mm
- Measurement: 109x22x14.8cm / 10pc
- G.W.: 10kg N.W.: 9kg; 20' 7800pcs



Baby Measuring Mat

- Measuring Mat for infant
- Height range to be measured: 10-100cm
- Min value of height per division: 0.5cm
- Size of packing (10 set): 49.8x30.8x17.5cm



Ambulatory Blood Pressure Monitor

- Measurement method: Oscillometry
- Measurement mode: Automatic/Automatic cycling non-invasive
- Patient range: adult, pediatric, neonatal
- Measurement unit: mmHg/kPa selectable



Arm Digital Blood Pressure Monitor

- Fully automatic digital upper arm blood pressure monitor
- Large LCD display high quality and English Voice



Arm Digital Blood Pressure Monitor

- Fully automatic digital upper arm blood pressure monitor
- Large LCD display high quality and English Voice



Oxygen Concentrator

- France imported molecule sift helps produce pure oxygen.
- High and low voltage alarming system
- LED time counting system
- Power off alarming system
- Remote control, timing system



Oxygen Concentrator

- 24 hours work continuously
- Optional for using 5-way oxygen splitter for 5 peoples
- AVG oxygen purity: 93%±3%
- Low sound level: less than 55dB (A)

Oxygen Concentrator

- 24 hours work continuously
- Optional for using 5-way oxygen splitter for 5 peoples
- AVG oxygen purity: 93%±3%
- Low sound level: less than 55dB (A)

Compressor Nebulizer

- Air compressing nebulizer is developed for the successful treatment of asthma, allergies and other respiratory disorders. It creates a stream of air that travels through clear air tube to the medicine cup



Ultrasonic Nebulizer

- The Ultrasonic nebulizer can nebulize the hydrosol vent drug into very fine particles that can be directly inhaled and exert an effect on the lesions of lungs, which is a common medical device in the unit of hospital, such as internal medicine, Department of Surgery

Electronic Scale

- Max weighing: 200kg
- Division: 100g
- Display: LED Power: AC/DC
- Height range to be measured: 800-2100mm
- Min value of height per division: 5mm

Electronic Scale

- Max weighing: 200kg/440lbs
- Division: 100g/0.2lbs
- Height range to be measured: 850-2100mm, 2' 9 1/2"-6'10 5/8"



Electronic Scale

- Max weighing: 200kg
- Division: 100g
- Display: LCD
- Power: AC/DC
- Height range to be measured: 850-2100mm

Electronic Scale

- Max weighing: 120kg/150kg/160kg
- Division: 500g
- Height range to be measured: 700-1900mm
- Min value of height per division: 5mm

Double Ruler Adult Scale

- Max weighing: 140/160/200kg
- Division: 100g
- Height range to be measured: 800~2100m



Double Ruler Scale

Max weighing: 160/200kg
 Division: 100g
 Height range to be measured: 750-2000mm



Ruler Wheelchair Scale

Max weighing: 200kg
 Division: 100g
 Display: LCD
 GW: 35kg NW: 25kg
 Measurement: 77×64×114cm



Ruler Wheelchair Scale

Max weighing: 160/200kg
 Division: 100g
 GW: 35kg NW: 25kg
 Measurement: 77×64×114cm
 20GP: 54pcs; 40HQ: 114pcs



Glass Bathroom Scale

Max weighing: 150-180kg/330-396lb
 Division: 100g /0.2lb
 Power: CR2032
 GW: 21kg NW: 19kg



Double Dial Platform Scale

Max weighing: 200/300/500kg
 Division: 500g/1000g/1000g
 GW: 50kg NW: 45kg
 Measurement: 93×59.5×24.5 (Base)



Height Measuring Rod

Height range to be measured: 0-2000mm
 Min value of height per division: 1mm



Sleep Therapy System

- Ultra-silent design & Delay time step up design.
- USB port for download the data
- Fashionable design



Sleep Therapy System

Max weighing: 120kg/150kg/160kg
 Division: 500g
 Height range to be measured: 700-1900mm
 Min value of height per division: 5mm



Bedsore Prevention Mattress

- Low-noise design. The operating noise does not exceed 45dB(A).
- Safe round edge design
- Simple and lucid adjustment button



Plain Bed

- Completely Metal Frame
- Φ38 Bed Head/Foot Board
- Bed Surface made of cold roll steel sheet
- Bed Size:2000*900*500mm



Hand-lifting Bed

- Completely Metal Frame
- Φ38 Bed Head/Foot Board
- Bed Surface made of cold roll steel sheet
- Bed Size:2000*900*500mm



Hand-lifting Bed

1. Overall :2000*900*480mm
2. High quality carbon metal frame
3. Φ32mm tube bed head/foot with patient card holder
4. Backrest:0-80°



Ordinary Flat Bed

- Detachable ABS head/foot board
- I.V Pole & Drainage with PU cover
- 5" silent castors with brake
- Load bearing capacity is over 180kg



1 Function Manual Hospital Bed

- Collapsible ABS guardrails
- Detachable ABS head/foot board, it locked with a safety switch
- I.V Pole & Drainage with PU cover
- 5" silent castors with brake
- Load bearing capacity is over 180kg



2 Function Manual Hospital Bed

- Collapsible ABS guardrails
- Detachable ABS head/foot board, it locked with a safety switch
- I.V Pole & Drainage with PU cover
- 5" silent castors with brake
- Load bearing capacity is over 180kg



3 Function Manual Hospital Bed

- Collapsible ABS guardrails
- Detachable ABS head/foot board, it locked with a safety switch
- I.V Pole & Drainage with PU cover



5 Function Manual Hospital Bed

- Collapsible ABS guardrails
- Detachable ABS head/foot board, it locked with a safety switch
- I.V Pole & Drainage with PU cover
- 5" silent castors with brake
- Load bearing capacity is over 180kg



2 Function Traction Bed

- Polyester powder coated and baked finish.
- Collapsible Aluminum Alloy guardrails
- Detachable Aluminum Alloy head/foot board, it locked with a safety switch



Baby Crib

- Size: 660x460x920 mm.
- Material: 304 stainless steel.
- 4 castors.
- 2 layers, 1 drawer.



Cart for Thermos Delivery

- Size: 670x520x990mm.
- Material: 304 stainless steel.
- 4 castors.
- 2 layers, 24 holders for water bottles



Emergency Trolley

- Size: 705x430x1030mm.
- Material: 304 stainless steel.
- 4 castors.



Treatment Trolley

- Size: 380x450x920mm.
- Material: 304 stainless steel.
- 4 castors.



Trolley for Oxygen Bottle Delivery

- Size: 380x450x920mm.
- Material: 304 stainless steel.
- 4 castors.



Trolley for Dirt

- Size: 960x550x900mm.
- Material: 304 stainless steel.
- 4 castors.
- 3 layers, 1 dirt bag.



Bag trolley for Dirty Clothes

- Size: 800x600x920mm.
- Material: 304 stainless steel.
- 4 castors.
- 1 dirt bag.



Bed Nursing Trolley

- Size: 880x480x900mm.
- Material: 304 stainless steel.
- 4 castors.
- 2 layers, 1 dirt bucket holder



Instrument Table Set

- Material: 304 stainless steel.
- 8 castors.
- 2 layers.



Treatment Trolley

- Size: 600x360x850mm.
- Material: 304 stainless steel.
- 4 castors.



Delivery Cart

- Size: 600x360x850mm.
- Material: 304 stainless steel.
- 4 castors.



Wash Cart for Surgery

- Size: 900x550x900mm.
- Material: 304 stainless steel.
- 2 castors, 2 wheels



Anesthesia Instrument Trolley

- Size: 660x560x800mm.
- Material: 304 stainless steel.
- 4 castors.
- 1 funnel, 1 dirt bucket



Clinic Trolley

- Size: 660x560x800mm.
- Material: 304 stainless steel.
- 4 castors.
- 1 funnel, 1 dirt bucket



Emergency Trolley

- Size: 760*480*920mm
- ABS material
- drawer, 2 cans, 1 IV pole, 4 castors



Anaesthesia Trolley

- Size: 850*520*950mm
- Integral ABS surface, special concave top design covered with transparent plastic.



Bed Nursing Trolley

- Size: 850*520*950mm
- Integral ABS surface, special concave top design covered with transparent plastic.



Instrument Table Set

- Size: 54mm (single chair)
- 3 seats with mattress



Waiting Chair

- Size: 54mm (single chair)
- Net weight: 33kg (3 positions/ group)
- 3 seats



Folding Accompanying Chair

- Steel frame with power-coating finish
- High density comfortable seat cushion
- Removable castor for easily extend and foldable



Folding Accompanying Chair

- Steel frame with power-coating finish
- High density comfortable seat cushion
- Removable castor for easily extend and foldable



Infusion Chair

- Size: 770x680x1080mm
- Steel frame with power-coating finish
- High density comfortable seat cushion



Luxury Infusion Chair

- Steel frame with power-coating finish
- High density comfortable seat cushion



Stainless Steel Infusion Chair

- Size: 770x680x1080mm
- 304 Stainless Steel
- High density comfortable seat cushion
- Angle is adjustable



Bedside Cabinet

480*480*750MM



Bedside Cabinet

480*480*750MM



Bedside Cabinet

480*480*750MM



Patient Trolley

- Size: 190x63x60-80cm
- I.V Pole
- Stainless Steel Side Rail



Patient Trolley

- Size: 190x63x60-80cm
- I.V Pole
- Stainless Steel Side Rail



Patient Trolley (Mattress Included)

- Size: 1950x570x750mm
- Head section is adjusted by manual rack mechanism
- Frame is made of tubular stainless steel



Stainless Steel Stretcher

- Material: Stainless Steel
- Stainless steel rail can up and down
- Bed Frame can be separated
- Can be made as assembling



Hydraulic Transfer Stretcher

- Aluminum alloy side rail
- Mattress (Optional)
- I.V pole (Optional)
- Top coat: Electrostatic powder coating
- Bed frame: Cold-rolled steel tube



Hydraulic Transfer Stretcher

- Aluminum alloy side rail
- Mattress (Optional)
- I.V pole (Optional)
- Top coat: Electrostatic powder coating
- Bed frame: Cold-rolled steel tube



Connecting Transfer Strecher

- Aluminum alloy side rail
- Mattress (Optional)
- I.V pole (Optional)
- Top coat: Electrostatic powder coating
- Bed frame: Cold-rolled steel tube



Workable

- Size: 1900x700x800/1400mm
- 304 Stainless Steel
- 3 shelves, 4 drawers, 2 cabinets



Injection Cabinet

- Size: 900x400x530/300x1750mm
- 304 Stainless Steel
- 4 shelves, 2 drawers, 1 cabinet



Instrument Cabinet with Glass

- Size: 900x400x1750mm
- 304 Stainless Steel
- 6 shelves



Wardrobe

- Size: 900x400x1750mm
- 304 Stainless Steel
- 6 shelves



Medicine Cabinet

- Size: 900x400x1750mm
- 304 Stainless Steel
- 4 shelves, 2 drawers, 1 cabinet



Medicine Cabinet

- Size: 900x250/400x1750mm
- 304 Stainless Steel
- 4 shelves, 1 cabinet



Examination Bed (Manual)

- L1900*W650*H800mm
- Thickness of Mattress:50mm
- Backrest adjustable:0-75°
- Carton Size:1950*680*320mm/2pcs



Examination Bed (Manual)

- L1900*W600*H460-750mm
- Thickness of Mattress:50mm
- Backrest adjustable by Gas Spring:0-70°
- Height adjustable by electric motor:460-750mm
- Hi/Lo adjustment by 1 motor



Examination Bed (Manual)

- L1800*W600*H800mm
- Thickness of Mattress:50mm
- Backrest adjustable:0-70°
- Knee-rest downwards:0-90°



Overbed Table

Material:the top made of ABS Board. And the frame will be steel tube coated.



Wash stand

Stainless steel frame with knock-down design
Stainless steel 320mm basin
3" moveable castors
Size: L445*W374*H735mm



Wash stand

Stainless steel frame with knock-down design
Stainless steel 320mm basin
3" moveable castors
Size: L445*W374*H735mm



Wash stand

Stainless steel frame with knock-down design
Stainless steel 320mm basin
3" moveable castors
Size: L445*W374*H735mm



Kick bucket

350mm



Stepper

-Metal frame with power-coating, can be stainless steel
-Solid pad with rubber cover against slide
-Durable and non-slip rubber tips



Mayo Table

-Size: 650x430x940/1400mm.
-304 stainless steel.
-With 2 support, 1 tray.
-Height adjustable.



Mayo Table

-Size: 650x430x940/1400mm.
-304 stainless steel.
-With 2 support, 1 tray.
-Height adjustable.



Doctor Stool

- Material: stainless steel
- Height adjustable.



IV Stand

- Stainless Steel
- 5 castors
- Height Adjustable(1.1m-1.95m)



Kick Bucket

- Size: φ400x360mm
- 304 Stainless Steel



Inductive Trash Can

- Size: φ400x360mm
- 304 Stainless Steel



Two - Stepper

- Stainless steel frame with knock-down design
- Stainless steel 320mm basin
- 3" moveable castors
- Size: L445*W374*H735mm



Storage Frame

- Size: 1200x600x1800mm
- 304 Stainless Steel
- 4 shelves



Wall Screen

- Size: 3-Folding: 1350x1800MM
- 4-Folding: 1800x1800MM
- 304 Stainless Steel



Doctor Stool

- 5 castors
- Height adjustable.



Oxygen Cylinder Car



Kick Bucket



Storage Frame

- Size: 1800x500x1800mm
- 304 Stainless Steel
- 5 shelves



Worktable

- Size: 1900x700x800/1400mm
- 304 Stainless Steel-
- 3 shelves, 4 drawers, 2 cabinets



Biological Microscope

- Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- Stage: Double Layer Mechanical
- Stage size: 140mm*140mm
- Moving Range: 75mm*45mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 140mm*140mm
- Moving Range: 75mm*45mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 140mm*140mm
- Moving Range: 75mm*45mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Stage size: 125mm*115mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- Stage: Double Layer Mechanical
- Stage size: 125mm*115mm
- Focusing Range: 30mm



Biological Microscope

- Stage size: 125mm*115mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Viewing head: Monocular head
- Stage: Double Layer Mechanical
- Stage size: 125mm*115mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 125mm*135mm
- Focusing: Coaxial Coarse and Fine Adjustment



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 125mm*135mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Viewing head: Monocular head
- Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- Stage: Double Layer Mechanical
- Stage size: 125mm*115mm
- Focusing: Coaxial Coarse and Fine Adjustment



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 125mm*135mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Viewing head: Monocular head
- Huygens eyepieces: H5X, H10X, H16X
- Achromatic objective: 10X, 40X, 100X
- Stage: Plain Stage with moving scale
- Stage size: 120mm*120mm



Biological Microscope

- Viewing head: Monocular head
- Huygens eyepieces: H10X, H12.5X
- Achromatic objective: 4X, 10X, 40X
- Stage: Plain Stage with paired clips
- Stage size: 120mm*120mm



Spectrophotometer

This instrument adopts 128 * 64-bit dot matrix LCD, can directly show the standard curve and test data, The main engine can save test data, and choose printer.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Biological Microscope

- Viewing head: Monocular head
- Achromatic objective: 4X, 10X, 40X (S), 100X (S, Oil)
- Stage: Double Layer Mechanical
- Stage size: 125mm*115mm
- Focusing: Coaxial Coarse and Fine Adjustment



Biological Microscope

- Stage: Double Layer Mechanical
- Stage size: 125mm*135mm
- Focusing: Coaxial Coarse and Fine Adjustment
- Focusing Range: 30mm
- Focusing Interval: 0.002mm



Biological Microscope

- Viewing head: Monocular head
- Huygens eyepieces: H5X, H10X, H16X
- Achromatic objective: 10X, 40X, 100X
- Stage: Plain Stage with moving scale
- Stage size: 120mm*120mm



Biological Microscope

- Viewing head: Monocular head
- Huygens eyepieces: H10X, H12.5X
- Achromatic objective: 4X, 10X, 40X
- Stage: Plain Stage with paired clips
- Stage size: 120mm*120mm



Spectrophotometer

This instrument adopts 128 * 64-bit dot matrix LCD, can directly show the standard curve and test data, The main engine can save test data, and choose printer.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



Spectrophotometer

This instrument can be widely used in medicine, clinical examination, biochemistry, petrochemical, environmental protection, quality control and judicial criminal investigation, the inspection and quarantine forestry.



High Speed Centrifuge

- Time: 0-99min
- Max RCF: 26500xg
- Voltage: 110V 60Hz/220V 50Hz
- Strong plastic case with metal lid
- Brushless frequency motor



High Speed Centrifuge

- Time: 0-99min
- Max RCF: 27800xg
- Voltage: 110V 60Hz/220V 50Hz
- Dimension: 410*520*320mm; Weight: 27kg



High Speed Centrifuge

- Time: 0-99min
- Max RCF: 17000xg
- Voltage: 110V 60Hz/220V 50Hz
- Dimension: 280*310*265mm; Weight: 10kg
- Strong plastic case with metal lid



High Speed Centrifuge

- Time: 0-99min
- Max RCF: 17000xg
- Rotor capacity: 1.5/2ml*12 (Standard Rotor 1)
- Voltage: 110V 60Hz/220V 50Hz



Low Speed Centrifuge

- Capacity: 15ml*18
- Clocking range: 0~30min
- Centrifugal force: 2325xg
- With mechanical lock



Low Speed Centrifuge

- Rotating speed range: starting~4000 rpm
- Capacity: 20ml*8
- Timing range: 0-30min
- Max. RCF: 2325xg
- With safety switch



Low Speed Centrifuge

- Max. Speed: 4000rpm
- Max. RCF: 2325xg
- Angle rotor capacity: 20ml*12
- Time range: 0-99min
- Power: 135W
- With mechanical lock



Low Speed Centrifuge

- Max. Speed: 4000rpm, step adjusted speed
- Capacity: 20ml*6
- Max. RCF: 1790xg
- Timer: 0-60min



Low Speed Centrifuge

- Handle centrifuge can use for chemical, biological laboratories and hospital laboratories to do the centrifuge test.
- Capacity: 15ml*4



Low Speed Centrifuge

- Time: 0-99min
- Max RCF: 2755xg
- Max RPM: 4000RPM, stepless speed adjustment



Low Speed Centrifuge

- Handle centrifuge can use for chemical, biological laboratories and hospital laboratories to do the centrifuge test.
- Capacity: 15ml*4



Low Speed Centrifuge

- Max. Speed: 4000rpm, step adjusted speed
- Capacity: 20ml*6
- Max. RCF: 1790xg
- Timer: 0-60min



High Speed Centrifuge

- Max. Speed: 4000rpm, step adjusted speed
- Capacity: 20ml*6
- Max. RCF: 1790xg
- Timer: 0-60min



High Speed Refrigerated Centrifuge

- Time: 0-99min
- Max RCF: 17800xg
- Temperature range: -20°C ~ +40°C
- Temperature precision: ±2°C
- Voltage: 220V 50Hz



Low Speed Refrigerated Centrifuge

- Time: 0-99min
- Max RCF: 17800xg
- Temperature range: -20°C ~ +40°C
- Temperature precision: ±2°C
- Voltage: 220V 50Hz



Low Speed Refrigerated Centrifuge

- Time: 0-99min
- Max RCF: 17800xg
- Temperature range: -20°C ~ +40°C
- Temperature precision: ±2°C
- Voltage: 220V 50Hz



Isotope Mini Centrifuge

- Max RPM:
- MC-04: 4000rpm
- MC-07: 7000rpm
- MC-12: 12000rpm
- Voltage: 220V 50Hz
- Dimension: 160*190*120mm



Low Speed Centrifuge

- Circulating pump can be constant outside the loop liquid media.
- Using completely closed refrigeration compressors, cooling fast.



Desktop Electric Boiling Sterilizer

- It has such characteristics as compactness, convenient operation, safety and durability.
- It belongs to ordinary device of Class B, Category I.



Water Bath

- Digital three constant temperature water bath is widely used in distillation, drying, concentration and temperature and stain chemicals or biological products.



Digital Oil Bath

- A double-digit display, over-temperature alarm, digital display set temperature and actual temperature.
- For special specification size requirements can be customized to map processing.



Digital Oil Bath

- A double-digit display, over-temperature alarm, digital display set temperature and actual temperature.
- For special specification size requirements can be customized to map processing.



Oscillator

- It is applicable to the epidemic prevention station, blood station dermatitis and hospitals.
- Working size: 384*248mm
- Timing: 0-15min



Micro Quick Shaker (Incubator)

- The product is suitable for hospital hygiene, universities, petrochemical metallurgy, environmental protection and food sectors such as agriculture, forestry, science experiments, for biochemistry, microbiology,



Intelligent Orbital Shaker

- Time: 0-99min
- Max RCF: 17800xg
- Temperature range: -20°C ~ +40°C
- Temperature precision: ±2°C
- Voltage: 220V 50Hz



Orbital Type Adjusting Shaker

- Amplitude : 20mm
- Timing range: 0-120 min
- Power: 60W
- Loading capacity: 20kg
- Shaking mode: orbital



Speed Measuring Shaker

- Amplitude : 20mm
- Timing range: 0-120 min
- Power: 60W
- Loading capacity: 20kg
- Shaking mode: Reciprocating
- Digital display speed


Multi-purpose Shaker

- Amplitude: 20mm
- Timing range: 0-120 min
- Power: 60W
- Loading capacity: 20kg
- Shaking mode: Reciprocating


Horizontal Multi-purpose Shaker

- Clamp roller type jig , can nip 100~1000ml triangle flask
- Horizontal


Orbital Type Shaker

- Temperature ranges: RT- 50°C
- Accuracy: ±1°C
- Amplitude : 20mm
- Timing range: 0-120 min
- Heating power: 2000W
- Loading capacity: 20kg


Water Bath Shaker

Multifunctional temperature water bath oscillator with LED digital display of temperature, visual clarity, using high-quality DC motor-driven, with great power, no noise, smooth operation and other characteristics,


Vortex Mixer

- Power Supply/Voltage: 220V 50/60Hz
- Power consumption: 30W
- Area of the working surface: 6.2×24(mm)


Blood Mixer

- Rolling Speed: 12-32 rpm
- Tube Qty per: 1-15 pc
- Tube diameter: Ø13±0.1mm


Blood Mixer

- Rolling Speed: 10-80rpm
- Vibrating Speed: 10-80rpm
- Vibrating range: 22mm
- Power: 12W


Glass Water Distiller

- Power supply: 220V 50Hz
- Hydraulic discharge: 1600ml/h
- Power: 1500W×2
- Double distillation


Stainless Steel Water Distiller

This series of stainless steel without water-controlled electric heating distilled water devices to tap water as source of water, electric heating, distillation system, pure water, for health care, pharmaceutical, plating, and laboratory and other departments



Organization Broken Machine

- Tissue pounding machine
- Power supply: 220V 50HZ
- Speed range: start up-12000rpm
- Max Capacity: 1000ml
- Power: 200W



Homogenizer Mixer

- Motor speed: 20000rpm
- Big homogenate knife: 8000~18000rpm
- Small homogenate knife: 8000~20000rpm
- Continuum working time: ≤5min
- Power: 185W



Magnetic Heated Stirrer

- Motor speed: 20000rpm
- Big homogenate knife: 8000~18000rpm
- Small homogenate knife: 8000~20000rpm
- Continuum working time: ≤5min
- Power: 185W



Magnetic Heated Stirrer

- Speed range: start up-1600rpm
- Stepless adjust speed
- Motor power: 40W
- Heating power: 150W
- Blend liquor: 2000m



Stable Temperature Magnetic Stirrer

- Speed range: start up-1600rpm
- Stepless adjust speed ,
- Motor power: 25W
- Heating power: 150W
- Temperature range: RT-100°C
- Digital display temperature



Stable Temperature Magnetic Stirrer

HJ-3A Timing constant magnetic stirrer was made according to customer requirements to improve, and with a constant temperature and constant speed control of a new experimental equipment.



Blood Mixer

- Speed range: start up-1600rpm
- Stepless adjust speed
- Motor power: 25W
- Heating power: 150W
- Blend liquor: 100-1000m



Glass Water Distiller

Microprocessor control temperature and timer
LED display temperature and running timer
Stainless steel inner, with door lock



Stainless Steel Water Distiller

First, use of applies to health care, medicine, biology, agriculture, scientific research departments to store bacteria, biological training to carry out the necessary research facilities.



Temperature Humidity Incubator

- Microcomputer automatic control, touch switch, easy to use.
- Programmable control mode, you can set time, temperature and humidity.

Co2 Incubator

- Computer Control: Modular high precision.
- Alarm devices: with CO2, sound and light alarm device.
- Filtering devices: with the CO2, gas double filter.

Water-Jacket Incubator

Applies to health care, medicine, biology, agricultural science and other scientific research departments develop the necessary professional equipment thermostat.



Magnetic Heated Stirrer

- Speed range: start up-1600rpm
- Stepless adjust speed
- Motor power: 40W
- Heating power: 150W
- Blend liquor: 2000m

Illumination Incubator

Light incubator with a cooling and heating two-way temperature regulation system, a temperature-controlled features, plants, biology, microbiology, genetics, viruses, medicine, environmental protection

Digital Display Shaking Incubator

- The Working chamber equipped with air duct, the temperature distribution uniform.
- Digital display the shaking speed, operate easily and intuitive.
- Microcomputer control, LED digital display temperature and operation time.



Intelligent Biochemical Incubator

- Microprocessor control temperature and timer
- LED display temperature and running timer
- Stainless steel inner, with door lock
- The glass door is convenient for observation
- Over temperature alarm

Magnetic Mixer

- Speed range: start up-1600rpm
- Stepless adjust speed
- Motor power: 25W
- Heating power: 150W
- Blend liquor: 100-1000m

Electrothermal Dry Oven

With stealth door locks, silent fan, with a mechanical over-temperature protection, with leakage protection, Microcomputer controlling, digital display set temp. and actual temp. and timing



Dry Oven

Microcomputer controlling;
Digital display set temp.
actual temp. and timing



Vacuum Drier Box

Vacuum dry oven for the industrial and mining enterprises,
medical institutions, scientific research units under the
conditions of drying in a vacuum heat treatment and so on.



PH Meter

PHS Series PH Meter is a digital pH meter with LED
double digits display and blue light-black, which displays
temperature and pH value or potential and temperature
value simultaneously.



Class II A2 Cytotoxic Safety Cabinet

- Remote Control
- LCD Display
- Water and Gas Taps
- UV Lamp



Class II B2 Cytotoxic Safety Cabinet

- Remote Control
- LCD Display
- Work Zone
- UV Lamp



Class II B2 Cytotoxic Safety Cabinet

- Remote Control
- Large Digital LCD Display
- 2 water proof sucket
- UV Lamp



Intelligent Biochemical Incubator

- Remote Control
- Large Digital LCD Display
- 2 water proof sucket
- UV Lamp



Horizontal Laminar Flow Cabinet

- LCD Display: Airflow velocity, UV timer, UV work
time, system work time, real time
- Waterproof socket: 2 waterproof sockets are
located in the side panel,



Horizontal Laminar Flow Cabinet

- LCD Display: Airflow velocity, UV timer, UV work
time, system work time, real time
- Waterproof socket: 2 waterproof sockets are
located in the side panel,



Vertical Laminar Flow Cabinet

- LED Display: Microprocessor control system, LED display.
- UV lamp: Emission of 253.7 nanometers for most efficient decontamination
- Double sides: Double sides work bench, operators can sit face to face.



Vertical Laminar Flow Cabinet

- LED Display: Microprocessor control system, LED display.
- UV lamp: Emission of 253.7 nanometers for most efficient decontamination
- Double sides: Double sides work bench, operators can sit face to face.



Mini Cabinet

- Air speed adjustable.
- Tabletop type, easy to carry and save space.
- Microprocessor control system, LED Display.
- HEPA Filter with efficiency: 99.999% at 0.3µm.



Ultra-pure Grade Water purifier

- Professional Water purifier produce ultrapure water.
- Widely used in hospital, research lab, industry, university, etc.



Water purifier

- Professional Water purifier produce RO and DI water, widely used in hospital, research lab, industry, university, etc.
- Automatically power on and power off according the water inflow or water outflow.



Water purifier

- Automatically power on and power off according the water inflow or water outflow.
- 6 Filtration system
- Automatic RO membrane flush
- Filtration Velocity: 15L/H



Ultrasonic Cleaner (40KHZ)

- Ultrasonic Frequency: 40KHz
- With large LCD display to show the precise time, temperature and power level
- Time setting: 1-99 minutes
- Temperature Setting: built-in heating to 60°C



Mechanical Pipette

- Fully autoclavable
- Lightweight, ergonomic, low force design
- Digital display clearly reads volume setting
- The pipettes cover volume range of 0.1µl to 10m



Mechanical Pipette

- Fully autoclavable
- Lightweight, ergonomic, low force design
- Digital display clearly reads volume setting
- The pipettes cover volume range of 0.1µl to 10m



Automated Microtome

- Large waste tray, easy to unload
- Universal cassette clamp and standard specimen clamp; emergency stop systems
- Manual or fully automated section mode
- Section and trimming mode can be exchanged easily



Semi-Automated Microtome

- Section and trimming mode can be finished by controlling systems
- Hand wheel can be locked at any position to assure user's safety
- Large waste tray, easy to unload



Manual Rotary Microtome

- Course feed hand wheel systems, closer to user to protect fatigue-free section
- Exact zero position precise orientation systems, easy to operate
- Red Knife guard to avoid any damage to user, and easy to change disposable blade
- Blade holder can be moved sidewise, no need to move blade



Cryostat Microtome

- Temperature can drop to working condition in 60 minutes after switching on.
- Adopt to UVC sterilize for 35 minutes every time.
- Peltier may be on or off manually.
- Heated, removable sliding window.



Manual Rotary Microtome

This model is simple rotary microtome, hand wheel locked at top of it, paraffin block can be changed easily and safe. LCD shows numbers of sectioning, emergency stop systems. Clean enclosure, blade holder can be moved horizontal or vertical.



Vibrating Microtome

This model is specially developed according to market demand, it introduces advanced technics from overseas. It is widely used in biological, teaching, scientific institute research etc.



Medical hand Sink

- Material: Stainless steel
- Size: 800*650*1260mm
- For 1 person
- With 1 cabinet



Medical hand Sink

- Material: Stainless steel
- Size: 1600*650*1260mm
- For 2 persons
- With 2 cabinets



Medical hand Sink

- Material: Stainless steel
- Size: 2150*650*1260mm
- For 3 persons
- With 3 cabinets



Medical Freezer

- Safety door lock design to prevent abnormal door open
- Wide voltage for AC198V~242V
- Mute design for salient needed environment
- Digital display with big screen, easy to check



Medical Freezer

- Embedded handle, easy for one-man operation.
- Adjustable height of plastic-coated fabric grid, more uniform temperature.
- Wide available voltage range: 187V~242V.



Ultra -low Medical Freezer

- Independent research and development of mixed refrigerant can make device save energy 50%.
- Better uniformity, uniformity is increased 30%.



Blood Bank Refrigerator

- Three layers toughened glass door with heater to avoid condensation
- 304 stainless steel inner chamber for friendly using and easy cleaning
- Wide available voltage range: 187V~242V



Blood Bank Refrigerator

- Three layers toughened glass door with heater to avoid condensation
- 304 stainless steel inner chamber for friendly using and easy cleaning
- Wide available voltage range: 187V~242V



Medical Pharmacy Refrigerator

- Three layers toughened glass door with heater to avoid condensation
- 304 stainless steel inner chamber for friendly using and easy cleaning
- Wide available voltage range: 187V~242V



Medical Pharmacy Refrigerator

- Three layers toughened glass door with heater to avoid condensation
- 304 stainless steel inner chamber for friendly using and easy cleaning
- Wide available voltage range: 187V~242V



Medical Pharmacy Refrigerator

- Three layers toughened glass door with heater to avoid condensation
- 304 stainless steel inner chamber for friendly using and easy cleaning
- Wide available voltage range: 187V~242V



Analysis Balance

- Precision: 0.1g
- Repeatability: ±0.2g
- Linear error: ±0.2g
- Pan size: 143mm×192mm
- Exterior dimension: 22.5×22×8cm



Analysis Balance

- Precision: 1mg
- Repeatability: ±2mg
- Linear error: ±2mg
- Pan size: Φ90mm
- Interface inside: Rs232C



Medical Destroyer

- The medical instruments destroyer is applied to large, medium and small hospitals, blood center, center of disease control, no need to be classified.
- This unit can be used for complete destroying of disposable plastic medical consumables like syringe, infusion bottle, blood bag, catheter, speculum, test tube,



Medical Destroyer

- The medical instruments destroyer is applied to large, medium and small hospitals, blood center, center of disease control, no need to be classified.
- This unit can be used for complete destroying of disposable plastic medical consumables like syringe, infusion bottle, blood bag, catheter, speculum, test tube,



Analysis Balance

- Precision: 1mg
- Repeatability: ±2mg
- Linear error: ±2mg
- Pan size: Φ90mm
- Interface inside: Rs232C
- Height of working space: 240mm



Laptop Full Digital Ultrasound Scanner

- 3-4 hours extra-long standby time
- 12.1 inch LCD
- Powerful image post-processing functions
- 8. DBF all digital beam forming



Portable Color Doppler Ultrasound Scanner

- Spectrum pulse Doppler.
- Direction energy Doppler.
- Real time three synchronization..
- Organized harmonic imaging technology.
- 4B imaging mode.



Laptop 4D Color Doppler Ultrasound Scanner

- Spectrum pulse Doppler.
- Direction energy Doppler.
- Real time three synchronization..
- Organized harmonic imaging technology.
- 4B imaging mode.



4D Doppler Ultrasound Scanner

- Storage: 16G
- Power adjustable
- Smoothing function
- Edge enhancement
- One-key optimization
- Image conversion
- Wall filter adjustable
- Base line adjustable
- PRF adjustable



Digital Ultrasound Scanner

- 15 inch LCD
- Powerful image post-processing functions
- DBF all digital beam-forming
- DRF real-time dynamic reception of focus by point by point
- DRA real-time dynamic sound velocity change



4D Color Doppler Ultrasound Diagnostic

- Spectrum pulse Doppler.
- Direction energy Doppler.
- Real time three synchronization.
- Organized harmonic imaging technology.
- 4B imaging mode.



4D Digital Color Ultrasound Diagnostic

- Spectrum pulse Doppler.
- Direction energy Doppler.
- Real time three synchronization.
- Organized harmonic imaging technology.
- 4B imaging mode.



Digital Color Ultrasound (Double Screen)

- Spectrum pulse Doppler.
- Direction energy Doppler.
- Organized harmonic imaging technology.
- 4B imaging mode.
- One key intelligent optimization.



Echocardiography Ultrasound Scanner

- Color Doppler imaging (C)
- Pulse Doppler Imaging (PW)
- Coherent Contrast imaging (CCI)



Wireless Probe Type

- Workable with Tablet or Smart Phone.
- Built-in and replaceable battery..
- High cost-effective.
- Wireless connectivity, easy to operate.
- Small and light , easy to carry.



Ultrasound Scanner

- Point-of-care diagnostic tools.
- Touch High level image.
- Light weight, easy operation.




Laptop 4D Color Doppler Ultrasound Scanner

- Compact in size, easy and direct operation, portable
- Accurate pacing pulse identification and automatic analysis function.
- Four working modes: Manual / Auto / Physical Examination / Storage



4D Doppler Ultrasound Scanner

- 80mm, 3 channel format recording
- Freeze function: can replay 12 seconds cardiograph front and back
- Fast ECG test under the [Physical Examination], saving power and paper
- Store and replay cardiograph without



2 Channel ECG Machine (Color Screen)

- 80mm, 3 channel format recording
- Freeze function: can replay 12 seconds cardiograph front and back
- Fast ECG test under the [Physical Examination], saving power and paper



1 Channel ECG Machine (Color Screen)

- Accurate pulse pace identification function
- High accuracy digital filter, auto baseline adjustment
- 12 leads synchronously acquisition and record



12 Channel Holter ECG Monitoring System

TCL5000 Dynamic ECG Systems adopts internationally standard 12-lead systems, can record continuously ECG waves for 24-hour, and analyses ECG waves with PC software. It is applicable in hospital and community medical establishment.



Treadmill Stress ECG

- Real-time print ECG waveform during collecting, record and save ECG data in whole process
- Real-time observe the change of ST segment, Lead selected by user can be magnified, and ST segment data can be calculated automatically.



Ultrasound Bone Densitometer

Working principle: The ultrasound probe transmits ultrasound waves to the ultrasound probe, and the ultrasound wave penetrates the heel of the tested person to reach another ultrasound transducer.



Ultrasound Bone Densitometer

Working principle: The ultrasound probe transmits ultrasound waves to the ultrasound probe, and the ultrasound wave penetrates the heel of the tested person to reach another ultrasound transducer.




Ultrasound Bone Densitometer

The machine use the ultrasound to measure the Radius and Tibia bone density, the measurement process is no wound, especially suitable for pregnant women, children and other special populations.



EMG System

- Perfect case report data and graph creating system.
- Special database management system.
- Select test part with Neuro and muscle navigation system and projects selecting system fleetly and conveniently.



Digital EEG And Mapping System

- 32 channels of EEG
- Sampling rate: 200 dots/s
- Accuracy: 12 bit
- Input impedance: $\geq 10M\Omega$
- Patient leak current: $< 10\mu A$
- Noise level: $\leq 5\mu Vp-p$



Digital EEG And Mapping System

- Sampling rate: 100 dots/s
- Accuracy: 12 bit
- Input impedance: $\geq 10M\Omega$
- Patient leak current: $< 10\mu A$
- Noise level: $\leq 5\mu Vp-p$
- CMRR: $\geq 90dB$



Handheld Pulse Oximeter

- Color LCD Display and Screen Rotation
- Three selectable working modes
- Powerful data storage capacity
- Patient information management



Handheld Pulse Oximeter

- Color LCD Display and Screen Rotation
- Three selectable working modes
- Powerful data storage capacity
- Patient information management



Fingertip Oximeter

- Compact appearance, more convenient to carry.
- A button to wake up, even the elderly can also be used simply.



Spirometer

- The accuracy meets American Thoracic Society (ATS) standard 2005 Revision.
- Suitable for hospital or home
- Maximum of records is 300 measurements



MSA99

- Multi-language display and measurement report
- Built-in precise 110mm thermal printer
- Small size, light weight and easy to carry



Audiometer

- Air conduction Pure tone test
- Provide continuant,pulse voice and twitter
- Noise masking for ear (narrowband noise)
- Both sides independent sound track.



Audiometer

- Air conduction Pure tone test
- Provide continuant,pulse voice and twitter
- Noise masking for ear (narrowband noise)
- Both sides independent sound track.



Examination Lamp

YD01(Halogen) examination lamp is extensively applied in industry, medical treatment, jewelry, photograph. Scientificre search etc., It is currently more advanced lighting equipment at home and abroad.



Examination Lamp

YD01(Halogen) examination lamp is extensively applied in industry, medical treatment, jewelry, photograph. Scientificre search etc., It is currently more advanced lighting equipment at home and abroad.



Examination Lamp

YD01 (Halogen) examination lamp is extensively applied in industry, medical treatment, jewelry, photograph, Scientific search etc., It is currently more advanced lighting equipment at home and abroad.



Hand-Held EtCO2+Spo2 monitor

- Transport use
- Monitor the ventilation function
- Monitor the supersession function
- Early diagnose malignant hyperthermia



Hand-Held EtCO2+Spo2 monitor

- 8 hours working time, 24 hours standby time
- 96 hours historical data replay on PC



Blood Glucose Monitor

Micro blood collection, painless
Blood sugar values can be collected with only a little blood, and are not affected by maltose or galactose



Vein Finder

Vein finder detects superficial veins by patented infrared light technology, displaying vivid vein map directly on skin. It helps medical staff find vein's location and reduce needle stick attempts.



Vein Finder

Vein finder detects superficial veins by patented infrared light technology, displaying vivid vein map directly on skin. It helps medical staff find vein's location and reduce needle stick attempts.



Spincell 3

Large LCD TOUCH screen
Excellent data management with mouse and keyboard
High efficient self checking system, low maintenance cost



Spincell 5

Large LCD TOUCH screen
Excellent data management with mouse and keyboard
High efficient self checking system, low maintenance cost



Cal 8000

The CAL 8000 can automatically distribute the samples with "Repeat", "Rerun" and "Reflex" criteria which are pre-defined by users.


BC 6200

With the newly designed opticals and reagent systems, the SF Cube technology can help doctors to better differentiate the clusters of cells, which is the key to revealing more abnormal cells.


BC 6800

SF Cube is a pathbreaking technology for reliable blood cell analysis, including WBC differential, Reticulocytes and NRBC with efficient flagging.


BC 5390

Its throughput of 60 samples per hour saves your time, and the capacity of 40 autoloading tubes can extend your walk-away time.


SAL 9000

- Integration: Optimize your lab's customized arrangement with better automation system
- Efficiency: High-throughput chemistry and immunology modules for longer walk-away time
- no need of extra operational training


SAL 8000

- Seamless integration, workflow optimization.
- Uniform software interface, easy of operation
- One tube sampling, flexible to test
- Technology and quality heritage


SAL 2000M

- Sample Delivery Module and Front Track System
- Expandability in different modules
- Permanent cuvettes with 8-stage auto-washing station


Centrifuge Machine

- Minimum 100µl reaction volume
- Reversed grating system with 12 wavelengths
- Bubble detection for reagent and sample probes


Centrifuge Machine

- 24-hour refrigeration for reagent tray- Built-in bar code scanner
- Independent mixing stirrer
- Multi-language version available
- Pre-dilution and post-dilution for sample
- Bi-directional LIS interface


Centrifuge Machine

- Reusable cuvettes with auto-washing station
- Independent mixing stirrer (two-in-one)
- Built-in bar code scanner
- Pre-dilution and post-dilution for sample
- Bi-directional LIS interface


Centrifuge Machine

- Grating optical system
- 150µl minimum reaction volume
- Independent mixing bar
- Reusable reaction cuvettes
- Bi-directional connection to LIS host


Centrifuge Machine

- Grating optical system
- 150µl minimum reaction volume
- Independent mixing bar
- Reusable reaction cuvettes
- Bi-directional connection to LIS host


Centrifuge Machine

- Constant throughput of 240 photometric tests per hour
- Large and flexible capacity of up to 100 sample or 100 reagent positions


Centrifuge Machine

Throughput of up to 360 photometric tests per hour.


Centrifuge Machine

- 24-hour refrigeration for reagent tray
- Flexible reagent/sample tray
- Independent mixing stirrer
- Robust and user-friendly operation software
- Best cost-efficiency


Semi-Auto Coagulation Analyzer

- Classic mechanical method to test clotting items
- Technology suggested by CLSI. Insensitive to icteric, lipemic, chylus and hemolysis sample
- 3 reagent positions with heating function
- 6 incubation channels


Semi-Auto Coagulation Analyzer

C3510 is a fully automated, high performance, compact analyzer that efficiently processes routine and specialty coagulation assays. Equipped with mechanical (viscosity based) detection technology to test clotting items=


Chemistry Reagents

- Comprehensive test items - including enzymes, substrates, specific proteins and electrolytes to satisfy clinical needs
- Liquid stable technology - all reagents are available as stable liquids, ready to use, which saves time, labor and reagent waste


High Freq Digital Radiography X-ray System

This machine is applied to take radiography on every part of human body, such as head, limbs, chest, limbus and abdomen and etc.



Digital Mammography System

A mammogram is a special, low-dose X-ray technique used to take a picture of the breast, detecting and diagnosing any abnormal lumps or masses in breast tissue. It is one of the best tools for the early identification of breast cancer. With early identification, breast cancer can be cured while in the first stage, and recovery is more likely.



High Freq Mobile Digital Radiography

This unit is high frequency combined digital X-ray radiography medical diagnostic equipment, it is used in radiography department, orthopedics, wards, emergency room, operation room, ICU, etc. It can satisfy the requirement of parts of body such as head, limbs, chest, spine, lunmer, stomach.



High Freq Digital X-ray Radiography

high frequency digital x-ray equipment can meet different parts radiography, such as head, chest, abdomen, waist, lumber, thoracic, pelvis, limbs etc. And meet different positions radiography, such as lay decubitus, normotopia, side position etc.



High Freq Digital X-ray Radiography

The floating table with bucky stand can meet the photographic requirements of different standing and lying positions.



High Freq Digital Radiography System (630mA)

Full support perspective, gastrointestinal spot film, GI (barium meal, barium enema), orthopedic photography, pediatrics photography, chest, urinary system angiography, peripheral angiography operations, gynecological Photography



Semi-Auto Coagulation Analyzer

- High-frequency generator with super high power and microfocus, optimizes digital images.
- Leading world-class continuous pulse fluoroscopy, intelligent exposure control, achieving extremely low radiation dose.
- Multi-working patterns to meet various clinical needs.



Semi-auto Specific Protein Analyzer

AR-P50 is a semi-auto analyzer for quantitative determination of specific proteins in blood, urine samples, including HbA1c, HS-CRP, CRP, ASO, CYS-C, RF, mALB, D-Dimer, IgM, IgG, IgA, C3, C4, etc. It's an ideal



Full-auto Specific Protein Analyzer

AR-P120 is a fully-auto specific protein analyzer. PA120, which is a cost-effective, reliable and easy-to-use equipment for specific proteins tests, includes HS-CRP, CRP, HbA1C, D-Dimer, mALB, CYS-C, ASO, CCP, RF, etc.



Immuno Fluorescence

AR-F50 is an advanced on-site analyzer based on immunofluorescence, intending to deliver accurate testing results in minutes merely from 100ul sample. Due to its simple and compact design, FA50 is an ideal point-of-care system for emergency department, intensive care unit.



Finecare™ FIA Meter Plus

Finecare™ FIA Meter is a fluorescence immunochromatographic analysing system which can help diagnose conditions such as infection, diabetes, cardiovascular diseases, renal injury and cancers, etc.



Finecare™ FIA Meter Plus

Finecare™ FIA Meter Plus is a fluorescence immunochromatographic analysing system with internal temperature control, which can help diagnose conditions such as infection, diabetes, cardiovascular diseases, renal injury and cancers, etc.



Fully Automatic Coagulation Analyzer

- Inductive dual magnetic circuit, immune turbidimetric and chromogenic substrate methods inside each channel.
- Up to 200 tests/hour throughput with 1000 continuous cuvettes loading system.



Optical Coagulation Analyzer

It is used with the Wondfo company Optical Coagulation analyzer test card. These tests include: Prothrombin Time(PT), Activated Partial Thromboplastin Time (APTT), Activated Clotting Time (ACT), Thrombin Time (TT) and Fibrinogen (FIB).



Semi-Automatic Coagulation Analyzer

AR-C52 is an easy-to-use semi-auto coagulation analyzer with 2 independent working channels, small volume of sample and reagent is needed for tests to save cost, built-in printer is also available, for sure it is designed to meet the requirement of small lab or clinics.



Micro - Plate Washer

- Large LCD display, intelligent software, easy to operate
- 5 position of needles are adjustable, fit for multi-kind of plates



Electrolyte Analyzer (AUTO ISE ANALYZER)

- Air bubble test
- Alarm for waste liquid overflow
- Alarm for standard liquid level
- Standard liquid level indicator lamp



Blood Gas Analyzer

- Multi-combination parameters
- Self-made maintenance free electrodes
- Both for syringes & capillary
- 35UL for capillary, 95UL for whole blood



Fully Automatic Urine Analyzer

- Low noise during operation
- Built-in PC, large-capacity storage drive, storing millions of test results
- Perfect quality control system



High Freq Mobile Surgical X-ray

- New integrated design, compact appearance, convenient operation.
- Unique hand-held remote controller, more convenient operation
- Graphical colorfully LCD touch screen console interface,

High Freq Mobile C-arm Medical

- One million pixels CCD camera makes the image more distinct.
- Low radiation dose used can protect the doctor and patient.
- Specially designed portable controller, facilitating operation.

High Frequency Mobile X-ray Equipment

The machine is combined high-frequency X-ray photography diagnostic equipment, which is used in radiology, orthopedics, wards, emergency rooms, operating rooms, and ICU, etc.



High Freq X-ray Radiography System

This machine is applied to take radiography on every part of human body, such as head, limbs, chest, limbs and abdomen and etc.

High Freq X-ray Radiography System

This machine is used to photograph patient's chest, stomach, lumbar and extremity.

Mammography System

- Two different X-ray tubes to choose:
 - Hangzhou LR01 tube from China
 - IAE C339V tube from Italy



Mammography System

Complete solid-state high-frequency high-voltage generator.
 Generator Type: High Frequency Inverter 80kHz
 Input Power: Single phase 220VAC, 50/60Hz

Dental X-ray Unit 1

- The microprocessor-controlled timer brings high-tech X-ray imaging at your fingertips.
- The control panel allows on accurate and fast exposure time selection while protecting the head during X-ray examinations.

High Frequency Dental X-ray Unit

- International level high frequency technology
- Automatic protective measures
- Stable voltage on both sides of the X-ray tube during exposure



High Frequency Dental X-ray Unit

- This portable dental X-ray unit is high frequency machine.
- The body is small, lightweight and nearly no radiation.
- It has excellent image quality, portable storage, save more space.



Dental Cone Beam Computed Tomography System

Oral and maxillofacial cone beam computed tomography equipment (dental CT) with 12cmX15cm flat panel detector, can be widely used in



Portable X-ray machine

The unit is shock-proof, ray-proof, single-focus and self-rectified X-ray unit. It applies to medical fluoroscopy and radiography on mouth, cavity bone, heart, skull as well as contraceptivering.



X-ray Film Illuminator

- Imported Acrylic transparent board
- Thickness: 2.5 cm
- Plug and play function, screen will turn on automatically when X-ray film is inserted.



X-ray Film Illuminator

- Aluminum frame, adjustable lightnes
- AVG Illuminance: more than 4000cd/m²
- Applicable X-ray film: Simulated, digital and breast X-ray film
- Thickness: 10cm



Mammography System

- Open-room operation, small volume and noise, simple operation, safe, fast and durable.
- Nominal Voltage: 220V±10%
- Nominal Frequency: 50HZ
- Nominal input power: ±12W
- Film run through time: 2~8min
- Protecting Category: 11



X-RAY film processor

- Developed film size: 3"x4" – 14"x17"
- Max. developing width: 356mm (14")
- Channel volume: Developer 6L, fixer 6L, water 6L
- Numbers of Slot: 2pcs
- Developing speed: 90~450S at option



X-RAY film processor

- Developed film size: 3"x4" – 14"x17"
- Max. developing width: 356mm (14")
- Channel volume: Developer 6L, fixer 6L, water 6L
- Numbers of Slot: 2pcs
- Developing speed: 90~450S at option



Protective collar



Protective waistcoat Apron

Protective waistcoat Apron

Protective glasses



Protective mask

Protective short skirt

Protective gloves





Pushbutton Crutches

- Easy-to-read sticker indication
- Quick adjustment to widely range patients' height
- Superior quality lightweight anodized aluminum



Wood Crutches

- Imported wood in highly quality
- Non-slip rubber tips provide good traction
- Matched color parts bring elegant outlook
- 1021: tall adult, 128~148cm



America - style Forearm Crutches

- 2 section adjustable for widely height's range
- Lightweight but durable aluminum material
- High-quality rubber tip against slide



Forearm Crutches

- One-piece mould plastic cuff and handgrip
- Reflection piece for safety purpose
- Easy fit and quick height adjustment



Offset Cane

- Attractive finishing resist marring and scratching
- Rubber tips are avoid slid and durable
- Secured with ring locker for more safety
- Height adjustable from 780~1000mm



Standard Cane

- Super-hard, heat-treat aluminum construction
- Height adjustment: 780~1000mm
- Automatically open to a full-size cane



Foldable Cane

- Super-hard, heated-treat aluminum construction
- Height adjustable: 680~900mm
- Telescoping tube T location of pushbutton



T-shape Cane

- Attractive finishing resist marring and scratching
- Rubber tips are avoid slid and durable
- Secured with ring locker for more safety



Fashion Cane

- Attractive and fashionable colors bring beautiful living
- Genuine imported maple T-shape handle



Seat Cane

- Durable and lightweight aluminum construction
- Can be used as seat or cane
- Foldable for easy transport and storage
- Colors can be changed if any need



Wood Cane

- Noble and elegant outlook
- Non-slide and durable rubber tip
- 22cm or 2cm diameter available
- back or bronze color can be chosen
- Height: 93cm



Small Quad Cane

- Attractive finishing resist marring and scratching
- Rubber tips are slid and durable
- Secured with locker for more safety



Large Quad Cane

- Attractive finishing resist marring and scratching
- Rubber tips are avoid slid and durable
- Secured with ring locker for more safety



Quad Cane

- Kinds of bases available
- Kinds of handles available



Tripod Cane

- Tripod cane



ICE -O -Grip

- Stainless steel against rust and durable when walker in the show
- It attached to standard size of wood or aluminum canes and tightly
- Conveniently flipped up when not in use



Folding Walker

- Height adjustment: 810~980mm
- Width: 560mm; Folded width: 100mm; Depth: 470mm
- Deluxe 2-button folding walker



Reciprocating Folding Walker

- Easy to move forward or backward without lifting the walker
- 1-button mechanism allows quick and convenient folding
- 1-bar provides excellent strength and stability



Seat Cane

- Durable and lightweight aluminum construction
- Can be used as seat or cane
- Foldable for easy transport and storage
- Colors can be changed if any need



Wood Cane

- Noble and elegant outlook
- Non-slide and durable rubber tip
- 22cm or 2cm diameter available
- back or bronze color can be chosen
- Height: 93cm



Small Quad Cane

- Attractive finishing resist marring and scratching
- Rubber tips are slid and durable
- Secured with locker for more safety



Large Quad Cane

- Attractive finishing resist marring and scratching
- Rubber tips are avoid slid and durable
- Secured with ring locker for more safety




Quad Cane

- Kinds of bases available
- Kinds of handles available



Tripod Cane

- Tripod cane



ICE -O -Grip

- Stainless steel against rust and durable when walker in the show
- It attached to standard size of wood or aluminum canes and tightly
- Conveniently flipped up when not in use



Folding Walker

- Height adjustment: 810~980mm
- Width: 560mm; Folded width: 100mm; Depth: 470mm
- Deluxe 2-button folding walker



Reciprocating Folding Walker

- Easy to move forward or backward without lifting the walker
- 1-button mechanism allows quick and convenient folding
- 1-bar provides excellent strength and stability



Rigid Walker

- 1-button mechanism allows quick and convenient folding
- Hi and lo handgrip for easy seating and standing up
- Height adjustable: 740~865mm
- Width: 560mm; Fold width: 100mm; Depth: 510mm



Step-up Folding Walker

- Rigid walker
- Rigid walker with wheel



Folding Walker with Seat

- Canvas seat makes comfortable seating
- 1-button mechanism allows quick and convenient folding
- Height adjustable: 745~920mm
- Width: 490mm; Fold width: 100mm; Depth: 440mm



2- Paddle Walker

- 2-paddle walker
- 2-paddle walker with wheel



British Folding Walker

- 1" anodized aluminum frame
- Easy to fold by pull the line
- Height adjustable: 830~905mm



Moving Walk

- Steel frame with chrome
- 4*4" with brake
- Padded shoulder support and seat make comfortable



ICE -O-Grip

- Stainless steel against rust and durable when walker in the show
- It attached to standard size of wood or aluminum canes and tightly
- Conveniently flipped up when not in use



Folding Walker

- Height adjustment: 810~980mm
- Width: 560mm; Folded width: 100mm; Depth: 470mm
- Deluxe 2-button folding walker



Reciprocating Folding Walker

- Easy to move forward or backward without lifting the walker
- 1-button mechanism allows quick and convenient folding
- 1-bar provides excellent strength and stability



Aluminum Rollator

- Lightweight frame with liquid-coating
- Easily fold for good storage and transport
- Removable basket can be put in the front of under seat
- PVC padded seat



Aluminum Rollator

- Lightweight frame with liquid-coating
- Easily fold for good storage and transport
- Removable basket can be put in the front of under seat
- PVC padded seat



Rollator

- 6001 bath bench without back
- 6001Q quick-release bath bench without back



Steel Rollator

- Steel frame with powder-coated
- Durable and comfortable anatomical handgrip
- PU soft seat
- Adjustable handle to meet the requested height
- Transparent food tray



Rollator

- 5060A 2-wheel rollator with seat



Bath Bench

- Lightweight frame with liquid-coating
- Easy push down brake system
- PVC padded seat
- Adjustable handle to meet the requested height



Shower Chair

- High density PE back and seat
- Durable aluminum frame against corrosion
- Quick release backrest with 3 adjustable position



Shower Chair

- With EVA cushion
- Colors available in Blue, Red, Yellow, Green



Bath Bench

- High density PE back and seat
- Blow mould plastic with a perineum opening and drainage holes
- 1" anodize aluminum frame with angles legs



Bath Stool

- 6020A: PP seat
- 6020B: PE seat
- 6020C: bamboo seat



Aluminum Rollator

- 6025A: steel foldable bath bench
- 6025B: aluminum foldable bath bench



Rollator

- Lightweight and durable aluminum frame
- Height adjustable from 810~910mm
- Suction rubber tips durable and slip proof



Steel Rollator

- Steel frame with powder-coated
- Durable and comfortable anatomical handgrip
- PU soft seat
- Adjustable handle to meet the requested height
- Transparent food tray



Rollator

- 5060A 2-wheel rollator with seat



Bath Bench

- Lightweight frame with liquid-coating
- Easy push down brake system
- PVC padded seat
- Adjustable handle to meet the requested height



Shower Chair

- High density PE back and seat
- Durable aluminum frame against corrosion
- Quick release backrest with 3 adjustable position



Shower Chair

- With EVA cushion
- Colors available in Blue, Red, Yellow, Green



Bath Bench

- High density PE back and seat
- Blow mould plastic with a perineum opening and drainage holes
- 1" anodize aluminum frame with angles legs



Bath Stool

- 6020A: PP seat
- 6020B: PE seat
- 6020C: bamboo seat



Foldable Bath Bench

- 6025A: steel foldable bath bench
- 6025B: aluminum foldable bath bench



Transfer Bath Bench

- Lightweight and durable aluminum frame
- Height adjustable from 810~910mm
- Suction rubber tips durable and slip proof



Bath Chair

- 6040B: stainless steel bath chair
- 6040C: stainless steel swivel bath chair



Bathtub Seat

- Plastic bath board
- Handle color: White, Red, Blue, Green, Yellow
- Length adjustable: 410~640mm; Width: 320mm; Depth: 190mm



Bathtub Bar

- 1" steel bar provides reliable patient assistance into or out of the bathtub
- Locking device attached to tub wall up to 178mm wide
- Height: 355mm; Width: 152mm



Grab Bar

- Plastic grab bar (ABS flanges and PVC tubing)
- Sizes available in 12", 16", 18", 24" and 32"
- Material available steel, stainless steel and ABS



Commode Chair

- 7001: foldable
- 7001W: foldable, with castor
- 7001L: aluminum
- 7001LW: aluminum, with castor



Commode Chair

- 7005A: with footplate
- 7005B: aluminum, with footstep



Commode Chair

- 7010: with drop-down armrest
- 7010W: with castor



Commode Chair

- 7020: with soft seat



Commode Chair

- Extra-wide commode chair



Commode Chair

- 7040: with back
- 7040L: with back, aluminum



Commode Chair

- 7045A: without armrest
- 7045B: without armrest
- 7045C: with back and armrest
- 7045D: aluminum, foldable, with soft seat
- 7045E: aluminum, foldable, with soft seat



Commode Frame

- 7050B: power-coating
- 7050C: power-coating



Commode Frame

- Toilet safety rails



Raised Toilet Seat

- 7060B: with armrest
- 7060C: height sizes available: 2", 4", 6"
- 7060D: height sizes available: 2", 4", 6"



Bed Pan

- 7061A: plastic
- 7061AC: with lid
- 7061B: with handle
- 7061S: with lid in stainless steel



Urine

- 7062A/7062B: male urine
- 7065: unisex urine



Commode Wheelchair

- Fixed armrest and footrest
- Soft seat with a hole part
- 6" front castor and 24" rear spoken wheel
- Steel frame with chrome finish



Commode Wheelchair

- Fixed armrest and footrest
- PVC seat
- 8005A: steel frame with chrome finish



Commode Wheelchair

- Detachable armrest and footrest
- PVC seat
- Steel frame with chrome finish



Euro-style Commode Wheelchair

- Drop-down armrest and detachable footrest
- PVC seat
- Steel frame with chrome finish
- 5" front castor and 2 with brakes



Steel Wheelchair

- 18" seat width
- Fixed armrest and footrest
- PVC leather upholstery
- Steel frame with chrome finish



Extre-wide Wheelchair

- 20" seat width
- Fixed armrest and footrest
- PVC leather upholstery
- Double cross bar with chrome finish



Steel Wheelchair

- 18" seat width
- Detachable armrest and detachable footrest
- PVC leather upholstery
- Steel frame with chrome finish



Reclining Wheelchair

- 17" seat width
- Steel frame with coating finish
- Detachable armrest and elevating footrest
- Loop and hand brakes for easy using



Aluminium Wheelchair

- Flip up armrest and swing-away footrest
- 8" front castor and 24" rear spoken wheel with PU tire
- Foldable backrest
- Adjustable seat height



Lightweight Wheelchair

- 17" seat width
- Foldable backrest
- Fixed armrest and swing-away footrest
- Loop and hand brake combined



Lightweight Wheelchair

- 17" seat width
- Foldable backrest
- Fixed armrest and swing-away footrest



Transport Wheelchair

- 17" seat width
- Aluminum frame with power-coating finish
- Fixed armrest and detachable footrest



Steel Wheelchair

- 17" seat width
- Aluminum frame with steel cross bar
- Fixed armrest and footrest
- Loop and hand brake combined



Abdominal Support

- Light weight and thin construction.
- Porous webbing improves ventilation and comfort of the patient.
- Broad hook and loop tape panel offers better holding and sizing flexibility.



Tummy Trimmer Abdominal

- Porous, three panel webbing improves ventilation and comfort.
- Broad hook and loop tape panel offers better holding and sizing flexibility.
- Optimal compression,



LS Belt Lumbopore

Monofilament stripped elastic is durable and has better compression. It is light in weight and highly porous, which provides more ventilation and improves comfort.



Lumbo Sacral Belt

- Flexible back splinting on application takes the body shape for excellent Immobilization.
- Porous elastic webbing improves ventilation and patient comfort.



Contoured L.S Support

- Anatomically contoured rigid splints maintain the natural low back curve, allay pain due to mechanical stresses, gets rid of postural fatigue, ensure strong back reinforcement for perfect, immobilization.



Rib Belt

- Light weight and thin construction improves patient compliance.
- Ethafoam Pad can be placed at the site of fracture to enhance the splinting action and holding of the fractured ribs.



Chest Binder

- Strong elastic band gives good grip and helps in equidistribution of pressure
- Reduces post operative pain and discomfort
- Facilitates phlegm expulsion after cardio thoracic surgery



Lumbo Support Uni

- Board hook-loop panel ensure easy application and that in size fits a large population
- Elastic webbing made from heat resistant rubber with high modulus of elasticity has more compression and durability.



Pregnancy Back Support

- Split elastic panel gives a good grip to the back splints, ensure no harsh pressure to the baby. Lifts the baby to reduce load to the mother.



Lumbo Lacepull Brace

- Lace pull mechanism provides independent pressure on thoracic and lumbar vertebrae. With pulley multiply effect, less force is required to provide a big compression.
- Highly recommended for decompression of the lumbar IVD. Compresses and stretches the abdominal cavity upwards to provide the decompression to Lumbar IVD's.



Taylor's Brace Short/Long

- Rigid Splints are light in weight, durable and provide effective immobilization. They can be customized to provide accurate shape and excellent comfort. They maintain the spine in neutral position and allow accurate posture correction.



Ash Brace (Hyper Extension Brace)

- Special Aluminum alloy anodized body is corrosion resistant, with high durability, dependable sturdiness and appealing aesthetics
- Ethafoam covered pads provide excellent impact absorption, enhanced comfort, reduced pressure on pubis and chest.



Hernia Belt

- Hernia Pads are molded out of special grade ethafoam for appropriate hardness. They are extremely light weight, smooth and comfortable.
- Anatomic pads press the inguinal aperture at the appropriate angle, for enhanced effectiveness.



Cervical Collar Soft

- Soft polyurethane body provides unmatched comfort. It is used as prophylactic collar, reduces pain and provides comfortable support during traveling.



Cervical Collar Soft with Support

- Made from high density PU foam 30 kg/m³ which provide better support and enhanced immobilization. It has higher cushioning, better comfort, higher patient compliance and long functional life.



Collar Soft (Firm Density)

- Made of very high density (60 kg./m³) P.U. foam which provides good immobilization and better support, despite of no reinforcement, It has a long functional life.



Cervical Orthosis Ethafoam

- Ethafoam body light in weight, nonabsorbent, ensure easy cleaning and maintenance.
- Pre-formed chin provides chin lock, arrests the neck rotation for strong immobilization. The rest to the chin improves comfort.



Cervical collar Hard Adjustable

- Ethafoam edge padding provides enhanced cushioning and comfort. It ensures long functional life. It is extremely light in weight and causes no allergies.



Cervical collar Hard with Chin

- Anatomically molded chin support locks the chin and enhance immobilization. Chin rest improves support, improves comfort and compliance.



Cervical Pillow Regular

- Anatomically shaped, molded from PU Foam with optimal density, provides effective support to the neck. It has a long functional life and good resilience.



Pouch Arm Sling (Tropical)

- Ergonomically designed, is smart and sleek, does not cover the chest, better ventilated and more comfortable in hot climates.
- Made of 3 layered P.U. bonded fabric which is durable and non-tear able, has plush looks, is wrinkle free and soft to feel.



Pouch Arm Sling (Baggy)

- Standard design, which supports and covers the arm completely and can even accommodate bulky casts or bandages.
- Made of 3 layered P.U. bonded fabric which is durable and non-tear able, has plush looks, is wrinkle free and soft to feel.



Universal Shoulder immobilizer

Two-piece design is more comfortable, offers better immobilization easy application and removal. Can be tightened as per need for enhanced immobilization and grip. One size fits many chest circumferences.



Clavicle Brace with Buckle

- Claw buckles ensure no loosening of the brace with time.
- Ethafoam Buckle pad protects from buckle injury and improve comfort of the patient.



Elastic Shoulder Immobilizer

It's a **scientific design** which provides six -way immobilization, it is well ventilated, comfortable, sleek and smart. Can be used in patients with open wounds around the shoulder



USPs- Cast Shoe (Rocker Sole)

Rocker sole deloads the ankle joint, enhances the ease of walking on foot cast, restores the normal gait. It improves balance of patient on foot cast and helps in early ambulation.



Cast Cover (Leg)

Rubber Diaphragm is expandable to accommodate any leg /cast size, forms a water tight seal around the leg. Simple and easy pull on application is user friendly, there is no need for tapes or straps to secure.



Ankle Binder

Elasticized wrap in figure of eight improves ankle stability, prevents inversion or aversion injuries, allows controlled compression and pain relief.



Anklet Comfeel (Pair)

Light weight enhances compliance. Bilateral symmetry allows it to be used for either ankle. Neoprene sleeves provide good cushioning and reduce pressure of gripping straps. One size fits all .



Anklet (Pair)

- Bi-layered, cotton on the inside, a dermophillic interphase improves sweat absorption, comfort and compliance.
- Bi-layered, nylon on the outside ensures durability, improves aesthetics and color fastness.



Knee Cap (Pair)

Tapered shape and unique weave provides uniform compression throughout the surface of knee and firm support to the knee area.



Knee Cap (with Rigid Hinge)

- Rigid hinges ensure strong side splinting but free flexion movement.
- Bilayered. Cotton on the inside ensures dermophilic interphase with the skin, good sweat absorption, enhanced comfort and compliance.



Knee Cap with Patellar Ring

Made from high quality nylon yarn, which ensures high durability, appealing aesthetics and color fastness. Four-way stretch ability allows comfortable grip and compression, snug fitting but no bunching at the back.



Elastic Wrist Splint Right/Left

High quality, striped elastic webbing is strong and durable, has high porosity, and excellent compressive strength, provides comfortable touch and feel. It has high modulus of elasticity, retains shape and size for a long time.



Wrist Splint Ambidextrous

Ambidextrous design fits both right and left hand. Leads to easier inventory management and availability.



Wrsit Splint with Thumb

Removable, anatomically shaped, double splinting ensure rigid immobilization. It can be customized to provide the required degree of wrist dorsiflexion and required degree of thumb abduction.



Wrist Brace with Double Lock

High quality, striped elastic webbing is strong and durable, has high porosity, and excellent compressive strength, provides comfortable touch and feel.



Elbow Support

Anatomically shaped with mellowed elbow portion for better compression, grip and easy elbow movement. Perfect conformance to the complex anatomy of elbow improves comfort.



Hand Resting Splint Right/Left

Molded from high quality rigid polymer, it is lean, light in weight, lean but robust with very high strength. It is easy to clean and maintain.



ROM Elbow Brace

- Light in weight
- Single action locking
- 3D Cushion Pads
- Adjustable arm length
- Universal size



Finger Cot

Made from coated aluminum body which is malleable, can be bent and customized as per patient need. It is very light in weight, but very strong. It provides rigid immobilization.



Finger Ext. Splint

Made from coated aluminum body which is malleable, can be bent and customized as per patient need. It is very light in weight, but very strong. It provides rigid immobilization.



Thumb Spica Splint

MADE FROM BREATHABLE 3 LAYERED PUF FUSED FABRIC WHICH IS DURABLE, IS VERY COMFORTABLE AND HAS EXCELLENT AESTHETICS.



Cervical Traction Kit Weight Bag



Skin Traction Set (PUF Liner)

It is available as a complete Kit, convenient for emergencies, has an Inbuilt cord, so quick to apply. It is cost effective.



Pelvic Traction Belt

- Ergonomic design and materials
- Can be conveniently used at homes or hospitals.
- Sturdy design for a long life and multiple use.



Cervical Traction Kit Weight Bag

- Designed to be conveniently used at homes or hospitals. Durable and sturdy for a long life and multiple use.
- Can be used in sitting posture.



Weight Cuff

Filled with low friction smooth steel balls for soft feel, easy wearing and to make the product accident free. High density of steel balls ensures small volume of the product and convenience of use.



Hot & Cold pack

Made out of non-toxic, biodegradable, colorful beads with extremely pleasing looks, which remains soft and flexible upto 0 degree.



Restrainer

3 inches wide wrist cuff with air filled bubble interface ensures High cushioning with good grip around the wrist. It allows air circulation beneath the product for enhanced comfort.



Back Rest

Anatomic design maintains the natural low back curve and relieves the anterior pressure on the vertebrae. Side supports hold the body and enhance the comfort.



Ortho Stockinete 10 Mt

MADE FROM HIGH QUALITY, FINE, LONG STAPLED COTTON WHICH REMAINS COOL IN SUMMERS & WARM IN WINTERS. IT IS DERMOPHILIC, HYPOALLERGIC, WASHABLE, BREATHABLE, SOFT TO TOUCH AND GOOD TO FEEL.



Compression Stocking Mid Thigh

High quality, high denier yarns used are dermophilic, impart strength, durability, excellent aesthetics and long functional life to the stockings



Anti Embolism Stockings

High quality, high denier yarns used, impart strength, durability and long functional life to the product. Dermophilic yarns used, also have excellent aesthetics and color fastness.



Tub. Elastic ban 1 mtr

High quality cotton yarn remains cool in summers & warm in winters, is dermophilic, hypo allergic, causes no rash, is soft to touch, good to feel, washable and breathable.



Cervical Traction Kit Weight Bag

It is made from Neoprene bonded nylon fabric, which is four way stretchable. It provides optimal compression, more comfort, good grip and better durability. It has appealing aesthetics with good color fastness. It retains body heat for pain relief and quicker healing.



Weight Cuff

It is made from Neoprene bonded nylon fabric, which is four way stretchable. It provides optimal compression, more comfort, good grip and better durability. It retains body heat for pain relief and quicker healing. It has appealing aesthetics with good color fastness.



Abs Wrap (Neoprene)

It is made from Neoprene bonded nylon fabric, which is four way stretchable. It provides optimal compression, more comfort, good grip and better durability



Tonometer

The products is designed on the principles basis of Goldman tonometer. Three types are available: R and T type are suitable for aig streit type slit lamp While X type is suitable for Carl Zeiss type slit lamp.



Portable Digital Slit lamp

AME-5S3 Portable Digital Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried.



Portable Slit lamp

AME-5S3 Portable Digital Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried.



Slit Lamp

AME-5S3 Portable Digital Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried.



Slit Lamp

Galilean unparalleled Optical give this slit lamp high depth of field view. Drum rotation makes 5 steps magnification convenient to shift The bulb and optical lens made of glass are imported from Germany.



2 steps Slit lamp

2 steps magnification, 10x, 16x for choice; Converging Optical Path; The optical lenses are made of glass imported from Germany: multi-coated



5 steps slit lamp

Galilean unparalleled Optical give this slit lamp high depth of field view. Drum rotation makes 5 steps magnification convenient to shift The bulb and optical lens made of glass are imported from Germany.



Combination Suit of Ophthalmoscope

Share one charge and packing case, cost effective and portable for carrying with. Battery with voltage protection device: when the battery voltage below 3v or above 4.2v.



Rechargeable) Streak Retinoscope

AME-6B Rechargeable Streak Retinoscope is the first model which can be recharged with internal Li-ion battery in China, and last 2 hours after fully recharged.



Restrainer

3 inches wide wrist cuff with air filled bubble interface ensures High cushioning with good grip around the wrist. It allows air circulation beneath the product for enhanced comfort.



Back rest

Anatomic design maintains the natural low back curve and relieves the anterior pressure on the vertebrae. Side supports hold the body and enhance the comfort.



Ortho Stockinete 10 Mt

MADE FROM HIGH QUALITY, FINE, LONG STAPLED COTTON WHICH REMAINS COOL IN SUMMERS & WARM IN WINTERS. IT IS DERMOPHILIC, HYPOALLERGIC, WASHABLE, BREATHABLE, SOFT TO TOUCH AND GOOD TO FEEL.



Bunion Splint

Ergonomically designed, it is light in weight, has very thin construction, can be worn with shoes. Useful, both as a day & night device. Easy to clean and maintain. One size fits almost all sizes.



Medial Arch Orthosis (Pair) Child

Moulded design with perfect foot anatomy and arch for proper weight distribution and comfort. Honey Comb Matrix design is light in weight, provides proper contour and firm support to the arch.



Pouch Arm Sling (Oxypore)

Very chic and a sleek design, does not cover the chest, supports and covers the arm completely. Can accommodate bulky casts or bandages. Best suited for hot climates.



Knee Support Hinged (Neoprene)

It is made from Neoprene bonded nylon fabric, which is four way stretchable. It provides optimal compression, more comfort, good grip and better durability. It has appealing aesthetics with good color fastness. It retains body heat for pain relief and quicker healing.



Ankle Support (Neoprene)

It is made from Neoprene bonded nylon fabric, which is four way stretchable. It provides optimal compression, more comfort, good grip and better durability. It retains body heat for pain relief and quicker healing. It has appealing aesthetics with good color fastness.



Cervical Collar Soft

Made from high density PU foam 30 kg/m³ which provide better support and enhanced immobilization. It has higher cushioning, better comfort, higher patient compliance and long functional life.



(Powered) Streak Retinoscope

Share one charge and packing case, cost effective and portable for carrying with.
Battery with voltage.



Binocular Indirect Ophthalmoscope

-Advanced optical design avoids the glistening and provides the broad filed.
-Super-light one piece design. It's soft and comfortable enough to wear with the adjustable height and width.



Portable Slit Lamp

AME-5S3 Portable Digital Slit Lamp Microscope is produced with high illumination white LED, and can be used about 5 to 6 hours continuously after fully recharged. The net weight is 750 g only, so that very convenient to be carried.



(Rechargeable) Ophthalmoscope

Series of AME-8AAC powered Ophthalmoscope performs as perfect optical system that offers a clear image of eyeground, still can be easily carried.



(Powered) Ophthalmoscope

-Super-light one piece design. It's soft and comfortable enough to wear with the adjustable height and width.
-Equipped with +20D aspheric lens which provides clear image.



Ophthalmological Operating Table +Electric Chair

- Mattress 1 set
- Arm support 2 pieces
- Infusion rod 1 piece
- Instrument Tray 1 piece
- Head plate 1 piece
- Leg plate 2 pieces



AUTO (KERATO) REFRACTOMETER

7" TFT LCD monitor
Bigger, better monitor and icon-display menu for easier operation and settings.
Refractive measurement with Hexagon prism



AUTO REFRACTOMETER

Keratometry and Refractometry mode select
Auto / manual focus function
5.7" color TFT LCD screen
Auto PD measurement
Faster and more accurate measurement



Auto Lensmeter

Adjustable LCD display screen
Tilt color screen provides you with clear view from any position such as sitting and standing.
Sensitive touch LCD display screen



Auto lensmeter

Adjustable LCD display screen
 Tilt color screen provides you with clear view from any position such as sitting and standing.
 Sensitive touch LCD display screen



Powered) Ophthalmoscope

Range: +16.75D~-19.00D
 when applied with auxiliary lenses +10.00D, -10.00D(option):
 +26.75D~ -29.00D
 Step: 0.12D



Lens Edger



Chart Projector

Projection distance
 3m to 6m
 Charts
 39 kinds
 Filtering function
 Red/Green filter
 Chart changeover speed
 Average of 0.2 seconds or less



Optometry Unit



Portable Fundus Camera



Equipment PD Meter PD-28



Instrument Table



Instrument Table



Dental Unit

- 4 hole high-speed handpiece tubing with connector
- Low-speed handpiece tubing with connector
- 3-way syringe (cold and hot)
- Adjustable headrest



Dental Unit

- 4 hole high-speed handpiece tubing with connector
- Low-speed handpiece tubing with connector
- 3-way syringe (cold and hot)
- Adjustable headrest



Dental Unit

- 4 hole high-speed handpiece tubing with connector
- Low-speed handpiece tubing with connector
- 3-way syringe (cold and hot)
- Adjustable headrest



Table Type Pulse Vacuum Steam Sterilizer

- Safety valve, Automatic check
- There is a micro-printer optional, and a standard USB connector optional for sterilizing record



Table Type Pulse Vacuum Steam Sterilizer

- Safety valve, Automatic check
- There is a micro-printer optional, and a standard USB connector optional for sterilizing record



CASSETTE STEAM STERILIZER

N cassette autoclave is a kind of automatic autoclave which using high pressure steam as the medium. It can be used in medical organizations like dental clinics, ophthalmology department, E.N.T. department, gynecology department



Water Distiller

The machine, characterized by small and elegant. High efficient and thorough sterilization, can be used for the sterilization of small high-temperature resistant utensils and articles of medical users.



Dental X-ray Unit

- Classification: Electrometrical, Class I, Type B
- Power supply: 220V±10%, 50Hz, 1kVA
- Tube voltage: 60KVp
- Tube current: 8mA
- Focus size: 1.5mm
- Total filtration: 2.5mmAL
- Exposure time: 0.2 to 4 sec



High-Frequency Dental X-ray Unit

- Power supply: AC220V±10% or AC110V±10%, 50/60HZ
- Frequency: 200KHZ
- Tube voltage: 70KV
- Tube current: 8mA
- Focus size: 0.8mm
- Total filtration: 2.5mmAL



High Freq Dental x-RAY Unit

Frequency: 32KHZ
 Tube voltage: 60KV
 Tube current: 1.5mA
 Exposure time: 0.02-4sec
 Distance from skin to cone: 130mm
 Tube focus: 0.3mm*0.3mm
 Output voltage: DC16.8V



Dental Cone Beam Computed Tomography System

Oral and maxillofacial cone beam computed tomography equipment (dental CT) with 12cmX15cm flat panel detector, can be widely used in oral and maxillofacial surgery, orthodontics.



Dental x-RAY Unit

Classification: Electrometrical, Class I, Type B
 Power supply: 220V±10%, 50Hz, 1kVA
 Tube voltage: 60KVp
 Tube current: 8mA
 Focus size: 1.5mm
 Total filtration: 2.5mmAL



High Freq Dental x-RAY Unit

Frequency: 32KHZ
 Tube voltage: 60KV
 Tube current: 1.5mA
 Exposure time: 0.02-4sec
 Distance from skin to cone: 130mm
 Tube focus: 0.3mm*0.3mm



Digital Dental X-ray Sensor



Sealed bag machine

One of the sterilizer accessory products, it has a stable performance, beautiful appearance, convenient operation, low failure rates special advantage when the voltage changes.



Curing Light

Seal, connect to the dental unit.
 10 seconds working time.
 Three working modes: Full, Ramping, Pulse
 Material: Plastic
 Light output: 1000mW/cm -1200mW/cm



Handpiece Set (Two high speed)

Working pressure: 0.3mpa-0.35mpa
 Applicable burs: 2.335-2.355mm
 Turn speed: 20,000-30,000 turn/min
 Resistant to high temperature
 Disinfection: 135°C



Ultrasonic scaler



Whitening Unit

- Simple, tight and handy molding design
- 2. Hand-held and fixed dual-use two design, freely to adjust to any angle position



Dental Air Compressor

- Tank volume: 30L
- Suitable for 2 dental units
- Voltage: 220V/110V
- Frequency: 50Hz/60Hz
- Ampere: 3.8A, 850W
- Rated exhaust flow: 81L



Dental Endoscope system

- New model of 1/4 COMS high resolution intra or camera connect 17inch LCD screen.
- 17inch LCD can freely adjust contrast, lightness and color.
- With high resolution, high performance and auto-focus.



Amalgamator

- Mixing frequency: 5000 and 45000 oscillations per sec $\pm 5\%$
- Mixing time: Adjustable from 1 to 99 seconds
- Operating temperature: 5 to 40°C



Dental Suction System

- Input power
- Vacuum degree
- Connect dental unit quantity (simultaneous use 60%)
- Air flow
- Connect dental unit quantity (simultaneous use 100%)
- N.W
- Noise



Dental Chair Base



Dental film Pressing



Dental Instrument Set

- Working pressure: 0.3mpa-0.35mpa
- Applicable burs: 2.335-2.355mm
- Turn speed: 20,000-30,000 turn/min
- Resistant to high temperature
- Disinfection: 135°C



Portable Chair Cold Light Cupidor Tray

1. NEW DENTAL PORTABLE FOLDABLE CHAIR KOMMAND with LED LIGHT and TRAY
2. Economy, elegant, portable and basic design were the goals achieved when the new KOMMAND patient chair was created.
3. Comfortable and safe for up to 220 pounds.
4. High strength steel construction.
5. Back adjusts, with patient in chair, from full upright to supine position, include armrest slings for elbow support, headrest cushion.



Bottles Dropping

Blown in Low Density Polyethylene, Dropping Bottles dispense small uniform drops of liquids when pressed lightly.



Wash Bottle WoulBOTTLES Gas

Made of Glass with 2 Necks



Bottles Reagent

These Narrow Mouth Reagent Bottles are available in Poly propylene as well as polyethylene.



BALANCE Physical

Two pan balance for accurate and rapid weighing upto 2 kg. when used with supplementary masses.



BALANCE Triple Beam

A single pan low form balance with three tiered beams, which can weigh up to 2610 gms



BASIN PORCELAIN

A single pan low form balance with three tiered beams, which can weigh up to 2610 gms



BRUSHES for Cylinder



BRUSHES For test tube



BUCHNER FUNNEL

Moulded in Polypropylene, these two piece funnes are light weight, easy to clean & autoclavable.



Balance Chemical

For use of pharmacy and chemist shop. Designed and manufactured for fought handling. Brass beam with 100 notches graduated for rider use with zero at center.



Balance Dial-o-gram

Capacity 310g x 10mg with two beams graduated 0 to 200g x 100 g and 0 to 100g x 10g. respectively and a direct reading dial graduated 0 to 10 x 0.1 g having a vernier reading with least count 0.01g.



BALANCE - Single Pan

Balance Single Pan capacity 311g x 10mg with Four Beams each provided with a non-removable slider and graduated 0 to 200 x 100g, 0 to 100 x 10g, 0 to 10 x 1 g. and 0 to 1g x 10mg respectively. Additional masses are not required.



BALANCE Physical

Two pan balance for accurate and rapid weighing upto 2 kg. when used with supplementary masses.



BALANCE Triple Beam

A single pan low form balance with three tiered beams, which can weigh up to 2610 gms



BASIN PORCELAIN

A single pan low form balance with three tiered beams, which can weigh up to 2610 gms



BEAKERS-570X570

Beakers, moulded in Polypropylene , have excellent clarity and very good chemical resistance. These autoclavable Beakers have prominently raised graduation on the outer surface.



BEAKERS

Beakers, moulded in borosilicate glass, have excellent clarity and very good chemical resistance.



BEEHIVES SHELVES



BULB - PIPETTE



BUNSEN BURNER- Painted Base

Nickel-plated brass tube 13mm diameter with an adjustable non-removable screw type air regulator and rifled gas inlet nickel-plated brass tube 9mm outer diameter, on heavy stable metal base synthetic stove enameled finish for LPG.



BUNSEN BURNER- with coal gas

Bunsen burner new type brass tube 11 mm dia meter with rotatable non-removable air regulator and rifled gas inlet tube 9mm outer diameter on light metal base powder coated for Coal Gas.



BURETTE CLAMP DOuble

To hold two burette, made of metal,die pressed, with built in boss head ,oxidised.



BURETTE CLAMP Fischer

Made of die cast aluminium to hold two burettes, made of glass. High quality powder coated.



BURETTE CLAMP SIngle

To hold single burettes, made of metal,die pressed, with built in boss head, oxidised.



BURETTE STAND

Made of seasoned hardwood, polished with plastic clamping screws.Rods are approx. 450 x 16 mm. Burette stand double is also available



BURETTE With Mohr clip

This Burette is made of neutral glass which Mohr clip, glass jet and rubber tubing, Each burette is individually calibrated to give maximum accuracy.



CENTRIFUGE TUBES

Oak Ridge Centrifuge Tubes, Made of polypropylene, have excellent contact clarity and can be used up to 50,000g.



CENTRIFUGE TUBES

Centrifuge tubes with conical bottom are available in two sizes i.e. 15ml & 50 ml. Moulded in Polypropylene, these tubes are clear, strong and safe.



CHLOROFORM BULB

Nickel-plated brass tube 13mm diameter with an adjustable non-removable screw type air regulator and rifled gas inlet nickel-plated brass tube 9mm outer diameter, on heavy stable metal base synthetic stove enameled finish for LPG.



CLAMP RETORT Three Prong

Bunsen burner new type brass tube 11 mm dia meter with rotatable non-removable air regulator and rifled gas inlet tube 9mm outer diameter on light metal base powder coated for Coal Gas.



CLIP Hoffman Brass

To hold two burette, made of metal, die pressed, with built in boss head ,oxidised.



CONDENSER AllihnCONDENSERS Allihn

Made of die cast aluminium to hold two burettes, made of glass. High quality powder coated.



CONICAL MEASURE

To hold single burettes, made of metal, die pressed, with built in boss head, oxidised.



CORK BORER - Regular Nickel Plated

Nickel-plated finish. Cutting tube mounted with safety under-flange in shaped handle ensuring that operator cannot be injured by a dislodged tube.




CORK BORING MACHINE

For drilling uniform and straight holes in cork or rubber stoppers. Cast-iron frame with wood platform 10cm.



CORK PRESS

Cast iron, for softening corks evenly, by rolling, without increasing the porosity.




CRUCIBLE TONG C.P

Made of iron zinc plated / Chrome plated



CRUCIBLE WITH LID

Available in the various sizes mentioned below



CRYSTAL MODEL SET




DIGITAL pH METER Portable

PORTABLE PH Meter for Laboratory and Field use.
 Measuring : 0 to 14ph. with automatic polarity & decimal point.
 Resolution : 0.01 pH. for pH measurement
 Accuracy : ± 0.1% ± 2 digit



DIGITAL CONDUCTIVITY METER

Read out : Digital bright, LED type 3½
 Indication : Direct conductance & resistance.
 Range Conductance : 0. 01 Micro ohm to 1000 Mho
 Resistance : 1 ohms to 2 M ohms



DISTILLING TUBE

Made of glass specially designed for the use in Laboratories . Available in One Bulb, Two Bulb and Three Bulb forms with outer diameter 17 mm and Bulb diameter 40 mm as shown in the table.



DROPPER



ELECTROMAGNETIC STIRRERS

Electromagnetic (motorless) stirrer are ideally suitable for filtration & general lab mixing of solution.



ELECTRONIC BALANCE CA Series

This model has built-in rechargeable battery with LCD display.Piece counting function is also available.



FILTER PAPER

Round shaped in pack of 100s for use in School for general Purpose.



FLASK BOILING

Long neck, flat bottom made of borosilicate glass. Long neck, round bottom made of borosilicate glass



FLASK CONICAL

Erlenmeyer, wide mouth, made of borosilicate glass. Conical Flask with graduation is also available.



Flask Stand

Moulded in Polypropylene, this Flask Stand gives a stair-like top view. Every step provides excellent support to the round bottom flask at every point of contact,



FLASK VOLUMETRIC

Volumetric Flasks, blown in polypropylene, are strong, unbreakable and have good contact clarity.



DISTILLING TUBE

Made of Polypropylene, these corrosion free Funnel Holders can hold funnels with dia 3 " to 6".



FUNNELS

These funnels have smooth walls, 60° cone angle and external ribs to prevent air lock.



GAS JAR CYLINDRICAL



GAS TAP BLACK PAINTED



HOT PLATE

The body is made of P.C.R.C. sheet painted with attractive stove enamel. The top of plate is 20.5 cm dia fitted with an indicating lamp.



INCUBATOR

Temperature Thermostatically controlled by hydraulic thermostat 5°C above ambient to 70°C with a sensitivity of $\pm 0.5^\circ\text{C}$ in Bare Incubator.



INFLATOR BULB



KIPP'S APPARATUS



LENS CLEANING TISSUE PAPER

Volumetric Flasks, blown in polypropylene, are strong, unbreakable and have good contact clarity.



LITMUS PAPER

Supplied in books of 20 leaves of size 63.5 x 10mm. Packed in box of 5 books each. Available in



CENTRIFUGE TUBES

Centrifuge tubes with conical bottom are available in two sizes i.e. 15ml & 50 ml. Moulded in Polypropylene, these tubes are clear, strong and safe.



CLIP Hoffman Brass



BURETTE STAND



Disposable Surgical Gowns

Surgical gowns prevent dispersal of skin scales to the operating theatre air only if they are made from a suitable material.



Hospital Throw Away Overalls

- Mandarin collar
- V-neck
- 2 hip patch pockets
- Long back zip
- Contrast trim on pockets and cuffs
- Side slits
- Discontinued item



Disposable Patient Gowns

It is made form Polypropylene, There are tri-layer, spunbond + meltblown + spunbond nonwoven. Through special treatment, SMS nonwoven fabric own many special features



Medical Dental Disposal Lab Coat

Medical Dental Disposable Protective Lab Coat Gown Blue 10/bag



Patient Wear

Hospital Medical Patients Protective Wear Disposable Surgical Scrub Set Wear, Operating medical uniform scrubs wholesale



Dresses and tops

Hospital Medical Patients Protective Wear Disposable Surgical Scrub Set Wear, Operating medical uniform scrubs wholesale



Disposable-surgical clothes

Backed by years of industry experience, we are engaged in offering a premium quality range of Disposable Surgical Clothes.



Dresses and tops

Hospital Medical Patients Protective Wear Disposable Surgical Scrub Set Wear, Operating medical uniform scrubs wholesale



Unisex Suit

- Unisex V-neck tunic styling. Side vents for easy movement and comfortable fit.
- Set-in short sleeves, Two roomy bottom patch pockets, Narrow Breast pocket for pen, cell phone e
- Drawstring with elastic closure pant.



Scrubs Suits Archives

Hospital Medical Patients Protective Wear Disposable Surgical Scrub Set Wear, Operating medical uniform scrubs wholesale



Hospital Reception Uniform

Owing to our in-depth knowledge in this domain, we are specialized in providing Hospital Reception Uniform.



Hospital Work Dress

It is made form Polypropylene, There are tri-layer, spunbond + meltblown + spunbond nonwoven. Through special treatment, SMS nonwoven fabric own many special features



Dresses & Tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.



Dresses & Tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.



Dresses and tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.



Dresses & Tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.



Dresses and tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.




Dresses & Tops

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses and tops**

Owing to our in-depth knowledge in this domain, we are specialized in providing Hospital Reception Uniform.

**Dresses & Tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**Dresses and tops**

These Figs scrubs are a little thicker which makes me feel more secure in regards to bodily fluid splashes. The best part is that they don't feel heavy though, just all around good material.

**40" UNISEX LAB COAT**

A 40" Unisex lab coat features two roomy patch pockets, a chest pocket with a pencil stitch, and vented back.



30"3/4 SLEEVE LAB COAT

A Modern Classic fit, 30" notched lapel lab coat features three quarter sleeves ending in cuffs.

UNISEX 40" SNAP FRONT LAB COAT

Our unisex lab coat features a snap front closure, a single chest patch pocket with a pencil slot, side access openings, and two roomy patch pockets at the waist for convenient storage.

40" LAB COAT

A Contemporary fit chic lab coat features a tailored fit with back princess seams, concealed button front placket, .



31" MEN'S CONSULTATION LAB COAT

A men's 31" twill consultation lab coat features a vented back and notched lapel. This multi pocket lab includes three outside pockets and three inside pockets.

30" 3/4 SLEEVE LAB COAT

A Modern Classic fit, notched lapel lab coat features 3/4 sleeves with notched cuffs. Princess seaming provides easy shaping. Also featured are two patch pockets, side vents and center back belt with button detail. Center back length: 30"

40" UNISEX LAB COAT

A 40" Unisex lab coat features two roomy patch pockets, a chest pocket with a pencil stitch, and vented back.



32" LAB COAT

A Traditional Classic fit, stylish 32" lab coat features a notched lapel, two patch pockets, a chest pocket and a button back belt detail for shape, side vents, and knit cuffs.

32" LAB COAT

A Traditional Classic fit, 32" stylish lab coat features a notched lapel, two patch pockets, a chest pocket, a button back belt detail for shape, and side vents.

Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.



Maternity gown

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.

**Maternity gown**

Available in four tailor-made sizes to debunk the myth of the "one size fits all" hospital gown. Offered in Small, Medium, Large, & Plus sizes.

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Scrub Suit**

Short sleeve medical uniforms woman hospital uniform doctor doctor scrubs uniforms with different sizes

**Petri dishes**

Petri dishes Ø90 mm
with sectors with triple vents
in polystyrene with high optical clarity

**Sterilin Special Petri Dishes**

Sterilin Special Petri Dishes offer an
alternative for nonstandard applications.

**Liquid culture Swabs**

Liquid culture swabs: two swabs
for one transport tube.

**Sterilin Standard 90mm Petri Dishes**

Sterilin Standard 90mm Petri Dishes
are used by microbiologists to culture
microorganisms on solid media

**Gel Transport Swabs**

Gel Transport Swabs containing Amies media
to preserve sample during lab transport.

**Σ-Transwab®**

Σ-Transwab® are liquid culture swabs for automated
and conventional processing of swab specimens.

**thermo scientific™ Sterilin™**

Save incubator space with Thermo Scientific™
Sterilin™ 30 to 140mm Petri Dishes.
These small dishes are suitable for most applications.

**Liquid culture swabs**

Liquid culture swabs for automated and conventional
processing of swab specimens, compatible
for the 2019-nCoV sample

**Viabank™ bacterial storage beads**

Viabank™ bacterial storage beads.
Available in blue, green, red, yellow
and mixed colours.

**Petri dishes 140mm**

Save incubator space with Thermo Scientific™ Sterilin™ 30 to 140mm Petri Dishes. These small dishes are suitable for most applications.

**Sigma VCM**

Liquid culture swabs compatible for the 2019-nCoV sample

**Micro test tubes conical shape 1.5 ml without cap**

Micro test tubes in conical shape 1.5 ml in polypropylene with writing area and pierceable

**Cylindrical test tubes 5 ml 13 x 75 mm**

Non graduated cylindrical test tubes without rim

**Urine container 150 ml**

Urine containers graduated up to 100 ml, with screw cap and writing surface.

**Containers 7 ml**

Sterilin Polystyrene Containers 7 ml with coverslip

**Cell culture - Professional Products**

We offer a range of cell culture products for the laboratory environment

**Surgical specimens containers**

Surgical specimens containers 1000 ml in transparent polypropylene, with leakproof pressure lid, ideal for biological samples transport and storage

**Containers 60 ml**

Sterilin Polystyrene Containers 60 ml



Conical centrifuge tubes 13.5 ml

Conical base tube, non-wadded white cap



Faeces Container 60 ml

Faeces containers with screw cap and spoon.



Containers 30ml

Sterilin 'Quickstart' Universal Polystyrene Containers 30 ml



Sterilin_trade_13_5ml_centrifuge_tubes

Round base tube



Universal containers 60 ml

Graduated specimen containers with screw cap ideal for pneumatic transport



Containers 250 ml

Sterilin™ Polystyrene Containers 250 ml



Weighing boats 100 ml

New and improved Sterilin Weighing Boats, with radius corners, allow the formation of a funnel for easy pouring and complete sample transfer.



Water sampling bottles 500 ml

Sterilin™ Water Sampling Bottles



Medimail

Range of disposable containers to transport laboratory samples with Triple Packaging System as regulatory compliance for the transport of infectious substances.



Pipettes 2 ml

Sterilin™ Glass Plugged Pipettes



Autoclave Bags 135 C

Strong disposable bags with blue biohazard printing specifically designed for contaminated waste disposal in autoclaves or incinerators.



Medibox

Medibox is a reusable rectangular triple packaging system for the transportation of Category B Biological Substances



Pipettes 1 ml

Sterilin™ Glass Plugged Pipettes



Sterile inoculation loop 10 ul

Sterile inoculating loops with incorporated needle




Microscope Slides

Use Thermo Scientific™ Microscope Slides in hematology, microbiology, and urinalysis as well as other general laboratory and research applications.



Microtiter plates

We offer a range of disposable microtiter plates for laboratory use




Microloop 10 ul

Sterile plastic inoculating loops with classic handle.




Parafilm - Professional Products

We offer Parafilm as sealing film for laboratory containers. Range of disposable containers to transport laboratory samples with Triple Packaging System as regulatory compliance for the transport of infectious substances.

**Cuvettes for spectrophotometer**

Macro and semi-micro disposable cuvettes for spectrophotometry, 2 optical faces, optical path 10 mm

**Slide for urinary sediments**

Disposable 10-cells slide in PMMA with n° 5 marked grids

**Workstation Rack CRYOVIAL**

Vials for cryogenic storage

**COULTER -Trinity Biotech**

Cups for the counting of blood corpuscles

**Sodium- Blood-Collection-Tube**

A Vacutainer blood collection tube is a sterile glass or plastic test tube with a colored rubber stopper creating a vacuum seal inside of the tube, facilitating the drawing of a predetermined volume of liquid

**Tissue vials WHEATON CryoELITE**

T309 CRYOVIAL® - External Thread Design with Lip Seal

**Cuvette 1.5 ml Technicon**


Sample cups to be used with Hitachi chemistry analyzers and similar

**Non Vacuum Blood Collection Tube**

We offer EDTA Tube, Fluoride Tube, No Additive Tube, Coagulation Tube, Clot Activator Tube and Gel And Clot Activator Tube. Ergonomically designed, these tubes are available in different sizes and specifications.

**Cryogenic vials simpot T301**

Designed to store cells, blood, serum and other body fluids at temperatures up to -196 ° C (should only be used in the gas phase of liquid nitrogen), these robust polypropylene bottles provide high level of chemical resistance.



hCG-Pregnancy-Test

One Step HCG Urine Test is a rapid pregnancy test, which you can easily carry out yourself. It detects the presence of human chorionic gonadotropin ("HCG"), which appears in urine very early during pregnancy.

Ultra Hepatitis B Antigen Test Kits

HBsAg Test Kits Specimen : Whole Blood/ Serum/ Plasma Format: Strip cassette Size : Strip 2.5mm. 3.0mm Cassette 3.0mm 4.0mm Package: 50 Test Strips in one box / 40 Test Cassettes in one box...

Hepatitis A Virus IGM Test

(HAV-IGM) Hepatitis A Virus IGM Test INTENDED USE The HAV test is a rapid qualitative lateral flow test designed for the qualitative detection of hepatitis A infection (HAV) in serum or plasma specimens. Principles of the Test The quick one-step test...



LH-Ovulation-Test


The LH One Step Ovulation Test Device (Urine) is a complete system to help women predict the time of ovulation and peak fertility. It is during this fertile time that pregnancy is most likely to occur.

HBsAg

One Step HBsAg Test is a rapid immunochromatographic assay designed for qualitative determination of hepatitis B surface antigen (HBsAg) in human whole blood, serum or plasma.

H-Pylori Antibody Rapid Test

H-Pylori Antibody Rapid Test Specimen: Whole Blood/ Serum/ Plasma Format: Strip/cassette Size: Strip--2.5mm;3.0mm Cassette--3.0mm;4.0mm Package:50 Test Strips in one box / 40 Test Cassettes in one box We (Nantong Diagnos) develop and sell new pr...



Digital-pregnancy Test

Digital Pregnancy Test is a rapid, qualitative detection of human chorionic gonadotropin (HCG) in urine, which is suitable for the early diagnosis of pregnancy.

C Virus Test Kits

HCV Test Kits Specimen : Whole Blood/ Serum/ Plasma Format: Strip cassette Size : Strip 2.5mm. 3.0mm Cassette 3.0mm 4.0mm Package: 50 Test Strips in one box / 40 Test Cassettes in one box...

LH Ovulation Test Cassette

Ovulation Test Operating Instructions This product is composed of the glass fiber strips of monoclonal antibody against luteinizing hormone (LH) anti-mouse IgG solid cellulose nitrate membrane and the bonders of absorptive colloidal gold - monoclonal...



(TP) Syphilis test Strip

Syphilis Specimen : Whole Blood/ Serum/ Plasma
 Format: Strip cassette Size : Strip 2.5mm. 3.0mm
 Cassette 3.0mm 4.0mm Package: 50 Test Strips
 in one box / 40 Test Cassettes in one box...




S. AUREUS

Provides results (in 6 minutes): up to 24 hours
 sooner than traditional methods in isolates of
S. aureus from wounds, sputum, urine etc.
 cultures.




CRYPTOSPORIDIUM II

The CRYPTOSPORIDIUM II™ test is an enzyme immunoassay
 (ELISA) used to detect Cryptosporidium oocyst antigens in
 fecal specimens. It is indicated for use as an aid in the
 diagnosis of patients with diarrhea suspected of
 Cryptosporidium gastrointestinal infection.



Malaria PF/Pan/PV Rapid Test

Malaria PF/Pan/PV Rapid
 Test Specimen: Whole Blood
 Format: Strip/cassette Size:
 Strip--2.5mm; 3.0mm Cassette--
 -3.0mm; 4.0mm Package: 50 Test Strips in one box / 40
 Test Cassettes in one box We (Nantong Diagnos)
 develop and sell new products every ye...
 model : DNS66
 category : Malaria Test




SD BIOLINE MALARIA AG P.F

The SD BIOLINE Malaria Ag P.f test is a rapid, qualitative
 test for the detection of histidine-rich protein II (HRP-II)
 antigen of Malaria Plasmodium falciparum in
 human whole blood.



ACCEAVA STREP A DIPSTICK

The Acceava® Strep A test is a rapid chromatographic
 immunoassay for the qualitative detection of Strep
 A antigen from throat swab specimens to aid in the
 diagnosis of Group A Streptococcal pharyngitis.
 Acceava Strep A test is a CLIA-waived rapid Strep A test.



SD BIOLINE MALARIA AG P.F

The SD BIOLINE Malaria Ag P.f(HRP2/pLDH) Test
 is a rapid, qualitative and differential test for the
 detection of histidine-rich protein II(HRP-II) and
 Plasmodium lactate dehydrogenase (pLDH) of
 P.falciparum in human whole blood.




Dengue Igg/IGM/1/2 Rapid Test Kit

Specimen: Whole Blood/ Serum/ Plasma
 Format: Strip/cassette Size: Strip--2.5mm; 3.0mm
 Cassette--3.0mm; 4.0mm Package: 50 Test Strips
 in one box / 40 Test Cassettes in one box We
 (Nantong Diagnos) develop and sell new products eve...



PSD BIOLINE MALARIA .F P.V

The SD BIOLINE Malaria P.f/P.v Test is a rapid,
 qualitative and differential test for the detection of
 antibodies to Plasmodium falciparum / Plasmodium
 vivax in human serum, plasma, whole blood.



CHEKSHIGA TOXIN QUIK

The new SHIGA TOXIN QUIK CHEK™ assay is the only rapid test able to detect STEC toxins directly from fecal samples. The assay simultaneously detects and differentiates Stx1 and Stx2 toxins from STEC.

BINAXNOW STREP A

The BinaxNOW® Strep A Test is a rapid immunochromatographic assay for the qualitative detection of Streptococcus pyogenes Group A antigen from throat swab specimens to aid in the diagnosis of Group A pharyngitis. BinaxNOW® Strep A Test utilizes a simple to use on board extraction system.

H.Pylori Antibody

One Step H. Pylori whole blood, serum or plasma Test is a rapid chromatographic immunoassay for the qualitative detection of antibodies to H. pylori in human whole blood, serum or plasma as an aid in the diagnosis of H. pylori infection.



ALERE TESTPACK+PLUS

Alere™ TestPack Strep A test is a simple rapid immunochromatographic assay for the qualitative detection of Group A Strep antigen from throat swab specimens to aid in the diagnosis of Group A Streptococcal pharyngitis. It's unique on board controls ensure total confidence in the results.

ALERE HIV Determine Kits

The Alere Determine™ HIV 1/2 Ag/Ab Combo is the first rapid point-of-care test that detects both HIV-1/2 antibodies and the HIV-1 antigen, which can appear just 12-26 days after infection^{1,2} HIV-1/2 antibodies first appear significantly later – 20 – 45 days after infection.

Multi-Drug Urine Test/Panel

One Step Multi-Drug Urine Test Panel offers any combination from 2 to 18 drugs of abuse tests for 25 different drugs The Multi Drug Test containing a fentanyl test strip is not for sale in Canada.



ALERE DETERMINE TB LAM AG


The Alere Determine™ TB LAM Ag test empowers you, at the point-of-care, to screen for active TB in HIV positive patients, providing results in just minutes.

One Step FOB Test

One Step Fecal Occult Blood (FOB) Test is a simple direct binding immunoassay for the rapid, qualitative detection of human occult blood in feces. The test is used as an aid to the diagnosis of gastrointestinal bleeding.

Multi-Drug Urine K-Cup

One Step Multi-Drug Urine K-Cup offers any combination from 2 to 12 drugs of abuse tests for 21 different drugs.



Urine malaria Test

The UMT is a simple dipstick test that detects Plasmodium falciparum malaria proteins or fragments thereof shed in the urine of febrile patients, using novel recombinant monoclonal antibodies.

One Step PSA Test

One Step PSA Serum/Plasma Test is a rapid immunoassay designed for the qualitative determination of human prostate specific antigen in serum/plasma. The test is intended as an aid in monitoring patients for prostate disease progression or the response to therapy or for the detection of recurrent or residual disease.

ALERE iSCREEN DIP CARD

The Alere iScreen® Dip Card rapidly screens for a broad range of illicit and prescription drugs. Devices are easy to use, and feature a wide range of configurations for a fully customized test program.



(COC) Cocaine Test



(COC) Cocaine Test Specimen:Urine Sensitivity:300 ng/ml
Format:Strip/cassette Size:Strip--2.5mm;3.0mm
Cassette--3.0mm;4.0mm Package:50 Test Strips in one box / 40 Test Cassettes in one box
We (Nantong Diagnos) develop and sell new products

Urinalysis Reagent Strips (10 in 1)

We (Golden Sabina) develop and sell new products every year welcome customers to consult!! Please feel free to contact us. Golden Sabina Int'ltd

Multi-Drug

Multi-drug 2in1/3in1/4in1/5in1/6in1/8in1/10in1 Test Panel Specimen:Urine/Saliva Format:Multi-panel Size:3.0mm;4.0mm We



(THC) Marijuana Urine/Saliva Test

THC) Marijuana Urine/Saliva Test Specimen:Urine/Saliva Sensitivity:50 ng/ml Format:Strip/cassette Size:Strip--2.5mm; 3.0mm Cassette--3.0mm;4.0mm Package:50 Test Strips in one box / 40

Methamphetamine Urine/Saliva Test

Specimen:Urine/Saliva Format:Strip/cassette Sensitivity:1000 ng/ml Size:Strip--2.5mm;3.0mm Cassette--3.0mm;4.0mm Package:50 Test Strips in one box / 40 Test Cassettes in one box

Diagnos (KET) Ketamine Test

Specimen:Urine Format:Strip/cassette Sensitivity:1000 ng/ml Size:Strip--2.5mm;3.0mm Cassette--3.0mm;4.0mm Package:50 Test Strips in one box / 40 Test Cassettes in one box

**Medical Face Mask**

Oxygen masks are used to transfer oxygen gas from a storage tank or cylinder to the lungs, and may cover the entire face (full-face mask) or just the mouth and nose

**Disposable Facemask**

Ear loop face mask is fluid resistant, pleated, forfort. Surgeons face mask is used as a covering for the face that serves as a protective barrier.

**CPR mask**

The CPR mask is designed to provide protection for rescuer when manually resuscitating patients. It used by adults, children and infants.

**Medical Face-Mask-with PVC-Shield****oxygen Mask wigth Reservoir Bag**

Specification:
XL, bag volume is 1000cc
L, bag volume is 1000cc
M, bag volume is 750cc
S, bag volume is 750cc

**Oxygen Mask with bag**

Specification:
-Oxygen Mask With bag
-Clear and soft vinyl for patients' comfort
-Adult elongated, pediatric elongated
-Medium concentration with tubing

**NIOSH 3M Medical Face Mask**

This health care particulate respirator and surgical mask has comfortable inner materials and helps provide respiratory protection against certain airborne particles.

**Oxygen Mask**

Specification:
Material: Medical grade PVC
Adjustable nose clip
Medium concentration

**Viabank bacterial storage beads**

The disposable face mask is designed for use with automatic ventilators and manual resuscitators.



Medium splash protection

Protecting healthcare staff and patients from infectious diseases



Oxygen mask-Venturi

Specification:
 -Oxygen Mask-Venturi
 -Clear and soft vinyl for patients' comfort
 -Adult elongated, pediatric elongated
 -Medium concentration with tubing



NIOSH 3M Medical Face Mask

This health care particulate respirator and surgical mask has comfortable inner materials and helps provide respiratory protection against certain airborne particles.



Nebulizer Mask

Adult standard, 6ml Nebulizer jar With tubing
 Adult elongated, 6ml Nebulizer jar With tubing
 Pediatric standard, 6ml Nebulizer jar With tubing
 Pediatric elongated.



Disposable Linear Cutting Stapler

-Open a large proscenium, helps to adjust the position.
 -The unique firing button, is conducive to the right and left hand operation.



Disposable Linear Suture Device

-Double handle operation, ensure the reliability, improve operational safety.
 - According to the organization to adjust the thickness of the nail bin height.




Laryngeal Mask

Specification:
 Reusable Silicone Laryngeal Mask
 Suitable for Adult, Children and Infant Use



Disposable Circular Stapler

-Windows can be displayed clearly and accurately the thickness of tissue.
 - Rational anastomotic nail density, reduce postoperative bleeding.



Disposable Skin Stapler

The operation is simple, convenient and flexible, the staple smooth accurate, safe and efficient and quick.



Stapler & Loading Cartridge

Rotary screw position: in 11 the left and right angle adjustment, the maximum angle of 45 degrees, accurate and convenient to reach the target tissue and blood vessel



Disposable Curved Cutter Stapler

- Imports of titanium wire, provide more high strength and tensile strength.
- The whole forming the top drill. ensure the anastomoses nail forming complete.



Endoscopic Disposable Sleeve

- The incision tension uniform, reduce tissue injury;
- Can be pulled out for operation organ;
- Smaller incision healing, better



Disposable Circumcision Stapler

- Simple and quick, standard and safe, short time(3-5min).
- No stitches, once complete.



Disposable Hemorrhoidal stapler

- Rational anastomotic nail density, reduce postoperative bleeding.
- Imports of titanium wire, provide more high strength and tensile.



Endoscopic incision

Suitable for laparoscopic and small incision operation
Video assisted thoracoscopic cardiac operation, small incision operation,
Gasless operation appendix operation.



SYRINGE DISPOSABLE

The product is used in hypodermic injection, under patients' skin, the intravenous and intramuscular injections or to let blood when matched with the sterile syringes for single use. It conforms to the codes of standard specified in GB 15811- 2001 Sterile Injection Needles for Single Use.



Elastic Bandages

High-quality cotton and elastic bandages for compression and to hold cold packs in place; washable and reusable.



Horse Polo Fleece Bandages

High quality 4 meter long horse fleece bandages ideal for traveling, in the stable or for exercise. Anti-pill, highly breathable and machine washable, these bandages are perfect for everyday use.



Sterile Syringe

The product is used in hypodermic injection, under patients' skin, the vein, and intramuscular injections or to let blood replacing the traditional glass syringes, It conforms to the codes of standard specified in GB 15810 2001 Sterile Syringe for Single Use.



Insulin syringes

Golden Sabina is a leading exporter and supplier of wide range of High



Gentle Band

Gentle Band™ is a short stretch 100% cotton compression bandage used for bandaging in Lymphedema and other chronic swellings



Disposable Circumcision Stapler

- Simple and quick, standard and safe, short time(3-5min).
- No stitches, once complete.



Disposable Hemorrhoidal stapler

- Rational anastomotic nail density, reduce postoperative bleeding.
- Imports of titanium wire, provide more high strength and tensile.



Endoscopic incision

Suitable for laparoscopic and small incision operation
Video assisted thoracoscopic cardiac operation, small incision operation,
Gasless operation appendix operation.



IV steel catheter

- 1.INCLUDING:50pcs 22g Gauge Piercing Needle
- 2.PACKING:IV Catheter Needle is Individual Wrapped & pre-sterile with E.O. ga
- 3.ATTENTION:Do not Attempt to Reinsert a Partially or Completely withdrawn Catheter Piercing Needles




Endotracheal Tube

Cuffed Endotracheal Tube, PVC, White, Disposable
Yes, PK 10



External Vaginal Anal Cleaning Flusher

Mrosaa Portable Bidet External Vagina Anal Cleaning Flusher Maternal Cleansing Buttocks Female Flushing Device - B



Chromic catgut absorbable surgical sutures

Chromic catgut (cc) absorbable surgical sutures with / without needles
Absorbable Suture with Needle or without Needle

Non-woven Cloth

Specification:
Anti-skid non-woven cloth shoe cover
SPECIFACATION
40G,17*43CM , 1*50pairs*10boxes

Non-woven Cloth

Specification:
1*100PCS*20BAGES
PACKAGE: 2000PCS/CARTON



Latex Examination gloves

Specification:
Specification: SS, S, M, L, LL
Style: Left-hand/right/hand, Powder/non-powder, Sterile /Non-sterile

Ldpe Gloves

10000PCS/carton
100PCS/BAG; 10BAGS/BOX;10BOXS/CARTON)
Disposable LDPE Gloves Produced with LDPE /HDPE with other assistant materials.

Hdpe Gloves

10000PCS/carton
100PCS/BAG; 10BAGS/BOX;10BOXS/CARTON)
Disposable LDPE Gloves Produced with LDPE /HDPE with other assistant materials.



Vinyl Glove

Specification:
Lenth: 9"inch (24CM)
Size: Large Medium Small
Color: Clear color
Grade: AQL4.0
Box : 23*11*6cm

Medical Nitrile Gloves

The Basic Medical Nitrile Gloves Medical Grade, Powder Free, Latex Rubber Free, Disposable, Non Sterile, Food Safe, Textured, Blue Color, Convenient Dispenser Pack of 100, Size Small

NYLON MONOFILAMENT

Chromic catgut (cc) absorbable surgical sutures with / without needles
Absorbable Suture with Needle or without Needle



Heat-Sealing

Material: France Arjo Wiggins (Sweden Billerud) 60g/m² Medical high-temperature dialysis paper, TYVEK 2FS/1059B/1073B+blue (white/green) medical CPP/PET compound film



Flat Reel

Material: France Arjo Wiggins (Sweden Billerud) 60g/m² Medical high-temperature dialysis paper + blue (white/green) medical CPP/PET compound film
Manufacturing Standards: ISO 11607-1



Gusseted Pouch

Material: France Arjo Wiggins (Sweden Billerud) 60g/m² Medical high-temperature dialysis paper
Manufacturing Standards: ISO 11607-1



Flat Pouch

Material: France Arjo Wiggins (Sweden Billerud) 60g/m² Medical adhesive dialysis paper + blue (white/green) medical CPP/PET compound film
China WPU rubber coated paper + blue (white/green) medical CPP/PET compound film




Flat Pouch

Material: France Arjo Wiggins (Sweden Billerud) 60g/m² Medical high-temperature dialysis paper blue (white/green) medical CPP/PET compound film
medical adhesive tape



Chest Drainage System

Degania nc-5512 2300 ml high capacity chest drainage Systems



Electrosurgical Pencil

- Suitable for nearly all surgical procedures.
- Interchangeable electrodes
- Easy to operate
- Economically priced



Drainage System

The Disposable Water Seal Chest Drainage System, which is with specifications of single tube and double tube, is convenient for clinical use.



Pleural Drainage Set

- One underwater seal chamber
- Total collection capacity 2200 ml
- Versatile standard system to be used with:
 - portable suction units




Urine Collection Bag

Urine Collection Bag is suitable for closed urine drainage




Urinary Drainage Set

The universal step connector comes with a urine sampling port
Urine bag holder with additional rope hanger and hook



Drug Envelop

Basic Info Product Description Customer Question & Answer Ask something for more details (0) Model NO. 70x100mm/80x100mm/75x105mm/50x80mm Application



Drug- Envelope

Drug envelopes are designed for securely transporting pharmaceutical and pills. Constructed of a durable, co-extruded polyethylene film. KeepSafeDrug



Pill bag Medicine Envelope

cheap pharmacy pill bag medicine dispensing envelope



Urine Bag

Available with 2L capacity
Sterile or Non-sterile




Single Use Plastic Blood Bag

The product is used for collection, storage, processing, transfer, separation and infusion of blood and blood components



Single Use Plastic Blood Bag

This product is used to filter white blood cell of blood or blood components



Single use Blood Collection Machine

This product is used to compatible with blood collection consumables for collecting human blood

**Full Strenght**

- *.max 2012 Scanline – with Standard materials
- *.fbx – with texture mapping, with no lighting rig
- *.obj – with texture mapping, with no lighting rig
- Textures, matireals are included
- V-Ray Lighting rigged
- Ready to render
- Clean topology, clear names
- Professional quality

**Half Strenght**

- *.max 2012 Scanline – with Standard materials
- *.fbx – with texture mapping, with no lighting rig
- *.obj – with texture mapping, with no lighting rig
- Textures, matireals are included
- V-Ray Lighting rigged
- Ready to render
- Clean topology, clear names
- Professional quality

**Normal Saline**

Sodium Chloride Injection 0.9% is used to replace lost body fluids and salts. Other medicines which are given by injection or by a drip, may be diluted with Sodium Chloride Injection 0.9%. Sodium Chloride Injection 0.9% can also be used as a sterile irrigation solution.

**Dextrose Saline**

Dextrose and Sodium Chloride Injection, USP (dextrose and sodium chloride inj) is a sterile, nonpyrogenic solution for fluid and electrolyte replenishment and caloric supply in single dose containers for intravenous administration. It contains no antimicrobial agents.

**Dextrose water**

Dextrose injection is a sterile solution used to provide your body with extra water and carbohydrates (calories from sugar). It is used when a patient is not able to drink enough liquids or when additional fluids are needed. Dextrose is used in many different medical conditions.

**Hartman/Ringers lactate**

Sterile, Pyrogen-free, Moistening of tissue and cleansing of the operating area during surgical procedures, Rinsing of wounds in the event of injuries and burn, Cleansing during stoma care, Moistening of wound tamponades, cloths, bandages and dressings.

**Metronidazole Infusion**

Our extensive and affordable range features the very best of fresh food, school items, household items, food and accessories for pets, drugs and pharmaceuticals, etc.

**Ciprofloxacin Infusion**

Complicated urinary tract infections.
Intra-abdominal infections (the anaerobic component should be covered by an appropriate antibacterial agent)


**4.3 Dextrose Saline Infusion**

We are involved in manufacturing, supplying and exporting a wide assortment of Dextrose Normal Saline to our esteemed clients



KILLIAN Nasal Speculum

Killian nasal speculum, stainless steel, 75 mm long, 14 cm length



THUDICIUM NASAL SPECULUM

Thudicum Nasal Specula (Reusable) x 1
Thudicum Nasal Speculum designed to open and expand the nasal cavity.
Manufactured from medical grade surgical stainless steel. The speculum is available, from size 0 to size 4.
Full compliance with the Medical Devices Directive



Luc Forceps



Freer Mucoperichondrial Elevator

Different sizes
Optimum performance
Rugged construction



Farabeuf periosteal elevator

Specialty: Orthopedic Instruments
Features: Autoclaveable, German Stainless Steel, Lifetime Warranty, O.R Grade



Blakesley Weil Straight Upturned Forceps

Sharp nose forceps. No neck. Weil Blakesley model. Straight German, Made in the area of Tuttlingen (Germany)



Heuwieser Antrum Grasping Forceps

We are offering this item to our client as per their requirement. This is mainly used in clinic and hospitals. This is manufactured by our trusted vendors by using optimum quality raw material under the guidance of our senior experts to maintain its best quality and to assure you the same. These are made of steel material which make them a durable product.



Jansen Bone Nibbler

With double spring plier handles and compound action, our Jansen Middleton Bone Rongeur is made from the highest grade stainless steel



Rigid Esophagoscope

1. Adopt high quality stainless steel.
2. Endoscopes adopt the German optic fiber.
3. Sapphire lens cover, never abrasion.
4. Endoscope is made of the fine and durable medical stainless steel.
5. With direction indicator, sapphire lens is not easy to wear.
6. Using a lenticular lens system, the image is clear, field of view is bright.



Babcock Tissue

6" long babcock tissue forceps
 Stainless steel
 Non-perforated tips
 Used to hold delicate tissue
 Atraumatic




Babcock Tissue 8

A brand-new, unused, unopened, undamaged item in its original packaging (where packaging is applicable). Packaging should be the same as what is found in a retail store, unless the item was packaged by the manufacturer in non-retail packaging, such as an unprinted box or plastic bag.




Scissor

Thick sturdy blades
 Long blade to handle ratio
 Curved shaped design
 Available in the following options;
 Various lengths
 Combination of sharp and blunt tips
 Sold individually



Artery Forceps 7

Length: 5-1/2" (14.0cm) or 6-1/4" (16.0cm)
 Jaw Curvature: Curved or Straight
 Working Surface: Serrated (Delicate Pattern)
 Handle: Finger Rings
 Material: German Stainless Steel
 Sterility: Non-Sterile
 Usage: Reusable
 Quantity: 1



Artery Forceps 8

Designed To Handle
 Grasp Or Compress Tissues Or Organs, Including Arteries.
 Made from Non-Corrosive Surgical Grade Stainless Steel.
 Have fine serrations of varying lengths in the jaws.
 Easy to clean and sterilise reusable surgical instrument.
 Suitable for Medical Students and Doctors.



Dissecting Forceps 6"

Thumb Tissue Forceps are used for grasping, holding, and manipulating various types of tissues in multiple procedures. These instruments have spring tension shanks that ultimately determine how far the instrument will open and the thickness of the tissue that can be held.



Dissecting Forceps 5

Thumb Tissue Forceps are used for grasping, holding, and manipulating various types of tissues in multiple procedures. These instruments have spring tension shanks that ultimately determine how far the instrument will open and the thickness of the tissue that can be held.




Counting Tray

One, right-hand pill counting tray with angled spatula
 Overall dimensions are 6" tall and 8" wide
 Dimensions of the counting area are 5" tall x 5-3/4" wide
 Teal Blue Tray with non-skid tabs on the bottom that help prevent sliding on smooth surfaces
 Durable ABS Plastic Tray with Clear Graduated Acrylic chute cover and Plastic Spatula



Episomy 7"



RC: 3529283

PACMED SERVICE SYSTEM

Products

We have more than 500 different products supplied by our company to various health facilities. Our products list covers a wide range of medical products such as; hospital equipment hospital furnitures, laboratory equipment, walking aids/orthopedics, ophthalmic equipments, dental equipments, scientific items, ENT instrument, surgical instruments, Hospital Disposables etc.. You will save time and cost buying from PAC Med Solutions.

Quality

Our brand has gained wide customer recognitions concerning quality, durability and affordability alongside sensitivity and precision for our diagnostic items which are all certified. By partnering with allied companies round the world, it has been possible for us to make world class medical products locally available

Service

Due to the need to quickly meet up with the demands of the health care system, we offer diverse services including delivery of items purchased, installing maintenance and repairs, with the aid of strong professionals in technology and engineering. Our customer care and public relation services are effective in response to clients making sure the satisfaction of our customers are being met.

Price

We supply at the best competitive prices offering a flexible plan to clients alongside incentives to regular clients in a bid to strengthen our customers.



P9

Handy Solution for
Your Confident
Diagnosis

CUSTOMER SATISFACTION

AT IT'S BEST

Send a  message or Call us Now: 0809068765176

  @PacmedSolutions

 mainstack.me/pacmedsolutions